

PRIAMUS

Serial Publication of the Centre for Entomological Studies Ankara

Volume 11, Part 6

10 03 2007

ISSN 1015-8243

Contents/İçindekiler: Koçak, A. Ö. & M. Kemal, Synonymical and distributional List of the species of Kars Province (North East Turkey) (Lepidoptera), p.113; editorial p.132.

Synonymical and distributional List of the species of Kars Province (North East Turkey) (Lepidoptera)¹

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Koçak,A.Ö. & M.Kemal, Synonymical and distributional List of the species of Kars Province (North East Turkey) (Lepidoptera). *Priamus* 11 (6): 113-131.

This paper deals with the Lepidoptera species hitherto recorded in the Kars Province in the North East Turkey. Totally 661 species are listed alphabetically under the relevant families. For each species, the scientific name, author, date of publication, synonyms, and distributional information in Turkey as provincial codes are given.

Key Words: *Lepidoptera*, fauna, checklist, Turkey, Kars Province.

This article is based upon the information of the Databank and the Collection of the Cesa. The aim is to inform the readers about the present situation of the Lepidoptera fauna of the Province Kars. This province is currently under investigation within the Project Lepidoptera of Turkey (LTR) carried out by the authors (Cesa) for the period 2007-2010. The publications on the Lepidoptera of Turkey used are listed in Memoirs vol.2 (1991) and 3-4 [under preparation]. In the list mentioned below, all the species known from the related province are given as current scientific name combination, author(s), date of publication. Totally 661 species are arranged alphabetically under the related families. Synonymous names are given with the author(s) and date of publication in the chronological order. Distributional information of each species indicates that the Turkish provinces in codes².

In the next issues of this serials you will find similar faunistic lists of the various provinces of Turkey, under investigation within the frame of the research Project of the Cesa.³

- 1) **Arctia (Eucharia) festiva (Hufnagel,1766)** (Arctiidae) *festiva* Hufnagel,1766; *hebe* Linnaeus,1767; *interrogationis* Ménétriés,1863; *sartha* Staudinger,1886; *nivea* O.Bang-Haas,1927; *ragusai* Stauder,1928. 05 06 16 17 24 25 27 32 36 38 40 42 44 58 60 63 64 65 71
- 2) **Axiopoena maura (Eichwald,1830)** (Arctiidae) *maura* Eichwald,1830; *fluvialis* Swinhoe,1885. 08 36 25 62
- 3) **Callimorpha dominula (Linnaeus,1758)** (Arctiidae) *dominula* Linnaeus,1758; *insubrica* Wackerzapp,1890; *rhodanica* Kettlewell,1943. 04 08 14 16 25 30 36 43 73 75
- 4) **Chelis reticulata (Christoph,1887)** (Arctiidae) *reticulata* Christoph,1887 04 07 24 25 30 36 42 49 58 60 65
- 5) **Diaphora mendica (Linnaeus,1761)** (Arctiidae) *#mendica* Clerck,1759; *mendica* Linnaeus,1761; *rustica* Hübner,[1791]; *syra* Daniel,1933; *malatiana* Bytinski-Salz,1936. 05 07 10 12 16 24 31 33 35 36 44 46 51 60
- 6) **Eilema complana (Linnaeus,1758)** (Arctiidae) *complanata* Linnaeus,1758; *ochrocephala* Fourcroy,1785; *sericea* Gregson,1860; *molybdeola* Guenée,1861; *balcanica* Daniel,1939. 05 06 14 16 25 34 36 46

¹ This faunal list is the preliminary results based upon the Databank of the Cesa, and a part the Project entitled "Lepidoptera of Turkey (LTR)" See: Koçak,A.Ö. & M.Kemal, 2007, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: [in preparation].

² The explanations of the codes are obtainable in the following internet address: <http://www.members.tripod.com/Cesa88/CODE.doc>

³ see also Miscellaneous Papers of the Cesa.

- 7) **Eilema costalis** (Zeller,1847) (Arctiidae) #*morosina* Herrich-Schäffer,1847; *costalis* Zeller,1847 06 07 08 10 16 25 33 34 36 42 45 46 53 56 75
- 8) **Eilema lurideola** (Zincken,1817) (Arctiidae) *lurideolum* Zincken,1817; *complanula* Boisduval,1834; *plumbeolana* Herrich-Schäffer,1852. 05 14 16 25 36 53 60
- 9) **Eilema pseudocomplana** (Daniel,1939) (Arctiidae) *pseudocomplana* Daniel,1939 06 16 25 36 42 46 62
- 10) **Eilema pygmaeola** (Doubleday,1847) (Arctiidae) *pygmaeolum* Doubleday,1847 07 10 36 57 60
- 11) **Euplagia splendidior** (Tams,1922) (Arctiidae) *splendidior* Tams,1922; *tkatshukovi* Sheljuzhko,1935. 30 36 62 65 76
- 12) **Hyphoraia aulica** (Linnaeus,1758) (Arctiidae) *aulica* Linnaeus,1758; *pustulata* Müller,1764 14 36 60
- 13) **Lithosia quadra** (Linnaeus,1758) (Arctiidae) *quadra* Linnaeus,1758; *flava* Müller,1764; *deplana* Linnaeus,1771; *quadrata* Walckenaer,1802; *dives* Butler,1877. 04 08 14 28 36 53 60 61 75
- 14) **Phragmatobia fuliginosa** (Linnaeus,1758) (Arctiidae) *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 *nec* Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 *nec* Reiss.,1934 01 05 06 07 12 14 16 19 22 32 33 34 35 36 42 44 46 50 52 53 55 56 65 71 76
- 15) **Phragmatobia placida** (Frivaldsky,1835) (Arctiidae) *placida* Frivaldsky,1835 04 05 06 23 30 32 33 36 42 43 46 60 65
- 16) **Rhyparia purpurata** (Linnaeus,1758) (Arctiidae) *purpurata* Linnaeus,1758; *purpurea* Linnaeus,1767; *uralensis* Spuler,1906; *barteli* Krulikowsky,1909. 05 06 08 16 30 36 60 73
- 17) **Setina aurata** (Ménétriés,1832) (Arctiidae) *aurata* Ménétriés,1832; #*pontica* Draudt,1933; *pontica* Schwingenschuss,1939 06 08 25 36 53
- 18) **Tyria jacobaeae** (Linnaeus,1758) (Arctiidae) *jacobaeae* Linnaeus,1758; *senecionis* Godart,1823; *confluens* Schultz,1908. 04 05 06 07 16 19 25 30 36 48 65 71
- 19) **Watsonarctia deserta** (Bartel,1902) (Arctiidae) *casta* Esper,[1784] *nec* Pall.,1771; *deserta* Bartel,1902; *sibirica* Kozhantschikov,1924; *callesi* Gomez-Bustillo,1979; *esperii* Koçak,1980. 24 25 36 38 60 66
- 20) **Aglais urticae** (Linnaeus,1758) (Argynnidae) *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandi* Verity,1936. 01 02 03 04 05 06 07 08 10 11 12 13 14 16 17 18 19 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 69 70 73 74 76 78 81
- 21) **Argynnis (Fabriciana) niobe** (Linnaeus,1758) (Argynnidae) *niobe* Linnaeus,1758. 01 03 04 05 06 07 08 11 12 13 14 15 16 18 23 24 25 27 29 30 31 32 33 35 36 38 39 42 43 44 46 47 48 49 50 51 53 56 58 60 61 62 65 66 69 71 70 73 74 76 80
- 22) **Argynnis (Pandoriana) pandora** ([Denis & Schiffermüller],1775) (Argynnidae) *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 *nec* Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Schwerda,1926; *transcaucasica* Moucha,1967; *deserticola* Gross & Ebert,1975. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 46 47 48 49 50 51 52 53 55 56 58 60 61 62 63 65 66 67 69 70 71 72 73 74 76 77 78 80 81
- 23) **Argynnis (Speyeria) aglaja** (Linnaeus,1758) (Argynnidae) *aglaja* Linnaeus,1758; *charlotta* Haworth,1802; *emilia* Acerbi,1802 *nec* Cr.,1779; *caroletta* Jermyn,1827; *locuples* Verity,1919 *nec* Butler,1879; *emilocuples* Verity,1919; *locupletata* Verity,1922; *montesignum* Sagarra,1926. 01 03 04 05 06 07 08 10 11 13 14 16 18 24 25 26 28 29 30 31 32 33 34 36 37 39 42 43 46 50 51 53 57 58 60 61 62 65 66 67 69 74 76
- 24) **Argynnis (s.str.) paphia** (Linnaeus,1758) (Argynnidae) *paphia* Linnaeus,1758; *valesina* Esper,[1798]; *magnata* Verity,1919; *revelata* Verity,1934; *magnifica* Verity,1919; *magnificamagnata* Verity,1950. 01 02 05 06 07 08 09 10 11 13 14 16 17 24 25 29 30 31 32 33 34 35 36 37 39 41 42 43 46 48 53 55 60 61 62 65 67 74 76 77 78 81
- 25) **Boloria (Clossiana) euphrosyne** (Linnaeus,1758) (Argynnidae) *euphrosyne* Linnaeus,1758; *argenticollis* Retzius,1783; *fingal* Herbst,1800; *densoi* Fruhstorfer,1909; *apennina* Fruhstorfer,1916; *cynosoma* Fruhstorfer,1916; *nestonclara* Verity,1932; *eminens* Verity,1932; *varianana* Verity,1932; *austreminens* Verity,1950, etc. 01 03 05 06 08 14 16 18 22 25 26 29 30 36 37 43 52 57 60 61 66 74 78 81
- 26) **Brenthis daphne** (Bergsträsser,1780) (Argynnidae) *daphne* Bergsträsser,1780; *chloris* Esper,1778 *nec* Fabricius,1775; *epidaphne* Fruhstorfer,1907; *nikator* Fruhstorfer,1909; *tenuitermaculosa* Verity,1922; *syriaca* Belter,1935; *anatolica* Belter,1935. 01 03 05 07 08 10 11 13 15 16 17 20 22 23 24 25 29 30 31 32 33 34 36 37 39 42 43 44 45 46 48 49 59 60 62 69 73 76
- 27) **Brenthis hecate** ([Denis & Schiffermüller],1775) (Argynnidae) *hecate* [Denis & Schiffermüller],1775; *harthothoe* Fruhstorfer,1917; *florida* Verity,1919; *stricta* Verity,1933. 03 05 06 08 10 13 16 23 24 25 29 30 34 36 37 39 42 44 49 58 60 62 65 66 69 70 73 74 76
- 28) **Brenthis ino** (Rottemburg,1775) (Argynnidae) *ino* Rottemburg,1775; *dictynna* [Denis & Schiff.],1775; *parthenie* Bergsträsser,1780; *flavomaculatus* Retzius,1783; *adula*, *tergesta*, *eporedia* Fruhst.,1910; *pyrenaica* Sagarra,1925; *asiaepallens* Verity,1933; *sesquierilda* Verity,1957. 24 25 36 39 60 69 76
- 29) **Cynthia cardui** (Linnaeus,1758) (Argynnidae) *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawii* McCoy,1868; *pallida* Schoyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 67 68 69 70 71 72 73 74 76 78 80 81
- 30) **Euphydryas (Eurodryas) aurinia** (Rottemburg,1775) (Argynnidae) *aurinia* Rottemburg,1775; *artemis* [Denis & Schiffermüller],1775; *lye* Bergsträsser,[1779]; *koloswarensis* Piller & Mitterpacher,1783; *scotica* Robson,1880; *signifera* Kane,1893; *anglicana* Fruhstorfer,1917; *acedia* Fruhstorfer,1917. 05 06 08 14 16 18 25 29 30 34 36 46 53 59 62 65 69 73 75 76
- 31) **Issoria lathonia** (Linnaeus,1758) (Argynnidae) *lathonia* Linnaeus,1758; *saturata* Röber,1897; *hungarica* Aigner-Abafi,1906; *florens* Verity,1916; *emiflorens* Verity,1919; *attenuata* Sagarra,1926; *nigroprivata* Verity,1933. 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 48 49 50 51 52 53 55 57 58 59 60 61 62 65 66 67 69 70 71 73 74 76 77 80 81
- 32) **Limnitis (Azuritis) reducta** Staudinger,1901 (Argynnidae) *reducta* Staudinger,1901. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 39 42 43 44 45 46 48 50 51 52 53 55 58 59 60 62 65 66 67 71 73 75 76 77 78
- 33) **Melitaea (Cinclidia) phoebe** (Goeze,1779) (Argynnidae) #*phoebe* [Denis & Schiffermüller],1775; *phoebe* Goeze,1779; *paedotropos* Bergsträsser,[1780]; *tremulae* Piller & Mitterpacher,1783. 01 04 05 06 08 10 11 13 14 16 17 22 23 24 25 26 27 30 33 34 36 39 41 42 44 46 50 51 55 58 59 61 62 65 66 69 71 73 74 77 78 80
- 34) **Melitaea (Cinclidia) (phoebe) punica** Oberthür,1876 (Argynnidae) *punica* Oberthür,1876 01 02 03 05 06 07 08 10 12 13 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 41 42 43 44 46 48 49 50 51 55 58 60 62 65 66 68 69 70 71 73 76 80
- 35) **Melitaea (Didymaeformis) didyma** (Esper,[1779]) (Argynnidae) *didyma* Esper,[1779]; *armoricana* Oberthür,1909. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 58 60 61 62 63 64 65 66 67 68 69 70 71 73 74 76 78 80
- 36) **Melitaea (Didymaeformis) fascelis** (Fabricius,1787) (Argynnidae) #*trivia* Denis & Schiffermüller,1775; *iphigenia* Esper,1782 (*praeoc.*); #*fascelis* Esper,1783; *fascelis* Fabricius,1787; *cleo* Latreille,1803 01 02 03 05 06 07 08 09 10 11 12 13 15 16 17 18

- 19 20 22 23 25 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 69 70 71 73 76 77 80 81
- 37) **Melitaea (Didymaeformis) perseae Kollar,[1849]** (Argynnididae) *perseae* Kollar,[1849]; *caucasica* Stgr.,1861; *magnacasta*, araratica Verity,1929; *sargon* Hemming,1932; *taurica* Belter,1934; *caucasicola* Bryk,1940; *hafiz*, *gina* Higgins,1941; *darius*, *pfeifferi*, *vernickei*, *elbursicola*, *safawides* Gross & Ebert,1975. 02 13 21 23 24 25 27 30 36 44 46 47 49 56 62 63 65 72 73 75
- 38) **Melitaea (s.str.) arduinna (Fabricius,1787)** (Argynnididae) *arduinna* Fabricius,1787; *rhodopensis* Freyer,[1836]; *uralensis* Eversmann,1844. 01 02 05 07 10 13 21 24 25 27 30 31 32 36 42 43 44 46 47 49 56 65 72 73 80
- 39) **Melitaea (s.str.) cinxia (Linnaeus,1758)** (Argynnididae) *cinxia* Linnaeus,1758; *abacus* Retzius,1783; *fulla* Quensel,1791. 01 02 03 04 05 06 07 08 12 13 14 16 17 18 20 21 23 24 25 26 27 28 29 30 31 32 33 34 36 37 38 39 41 42 43 44 46 47 48 49 50 51 52 55 56 58 60 61 62 65 66 69 70 71 73 74 76 80
- 40) **Melicta athalia (Rottemburg,1775)** (Argynnididae) *athalia* Rottemburg,1775; *eos* Rossi,1803 *nec* Rossi,1794; *pyronia* Hübner,1804; *aphaea* Hübner,1816; *tessellata* Stephens,1827; *britannia* Verity,1914; *luciflua* Fruhstorfer,1916; *vividior* Gouin,1922; *subluciflua* Verity,1935; *mixtaceladussa* Verity,1940; *neglecta* Pfau,1962 01 03 05 06 08 10 11 16 17 18 19 24 25 29 30 31 34 36 37 39 42 52 53 54 55 58 60 61 62 66 69 73 74
- 41) **Neptis (s.str.) rivularis (Scopoli,1763)** (Argynnididae) *rivularis* Scopoli,1763; *lucilla* Denis & Schiffermüller,1775; *coenobita* Cramer,1780; *#holunay* Koçak & Kemal,2000. 25 36 75 76
- 42) **Nymphalis antiopa (Linnaeus,1758)** (Argynnididae) *antiopa* Linnaeus,1758; *pompador* Pollich,1783; *morio* Retzius,1783; *borealis* Wnukowsky,1927. 03 05 06 08 09 10 11 14 16 17 22 24 26 28 29 32 33 34 35 36 37 38 42 45 53 58 60 62 66 71 74
- 43) **Nymphalis polychloros (Linnaeus,1758)** (Argynnididae) *polychloros* Linnaeus,1758; *testudo* Esper,1781; *pyrrhomelaena* Hübner,1824; *pyromelas* Freyer,1834; *fervida* Standfuss,1896. 01 03 05 06 07 08 09 10 11 13 14 16 17 18 19 20 21 22 23 25 26 30 31 32 33 34 35 36 40 41 42 43 44 45 46 47 48 50 51 52 56 58 60 62 65 71 73
- 44) **Nymphalis xanthomelas (Esper,[1781])** (Argynnididae) *#xanthomelas* [Denis & Schiffermüller],1775; *xanthomelas* Esper,[1781] 01 05 06 08 12 13 16 24 25 30 31 33 34 36 42 46 49 51 62 69 72 73 76
- 45) **Polygonia (Comma) c-album (Linnaeus,1758)** (Argynnididae) *c-album* Linnaeus,1758; *g-album* Fourcroy,1785. 03 05 06 08 11 13 14 16 17 18 20 22 24 25 27 29 30 31 32 33 34 36 37 39 41 42 43 44 46 48 49 50 52 53 55 59 60 61 62 65 66 73 74 76 78 81
- 46) **Polygonia (Comma) egea (Cramer,[1775])** (Argynnididae) *egea* Cramer,[1775] (junior homonym); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *#balucha* Evans,1932; *#pallida* Evans,1932. 01 02 04 05 06 07 08 09 13 14 16 17 20 21 23 24 25 26 27 29 30 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 53 58 60 62 63 65 66 68 71 72 73 76 78
- 47) **Vanessa atalanta (Linnaeus,1758)** (Argynnididae) *atalanta* Linnaeus,1758; *amiralis* Retzius,1783; *#klemensiewicz* Schille,1896; *#klime* Fischer,1896; *italica* Stichel,1900. 01 03 05 06 07 08 10 11 13 14 16 17 18 21 22 23 24 25 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 45 46 48 50 51 52 53 55 58 59 60 61 62 63 65 66 71 74 78 80 81
- 48) **Acosus terebrus (Denis,1785)** (Cossidae) *#terebr* [Denis & Schiffermüller],1775; *terebr* Denis,1785. 12 14 32 36 49
- 49) **Catopta thrips (Hübner,[1818])** (Cossidae) *thrips* Hübner,[1818]; *fuchsiana* Eversmann,1832; *kindermanni* Freyer,1836. 30 36 76
- 50) **Cossulinus lignosus (Brandt,1938)** (Cossidae) *lignosus* Brandt,1938 04 12 25 30 36 42 46 49 50 58 68 69
- 51) **Cossus cossus (Linnaeus,1758)** (Cossidae) *cossus* Linnaeus,1758; *unguiculatus* Fabricius,1794; *ligniperda* Fabricius,1794 01 05 06 12 13 14 16 17 19 23 25 30 36 42 46 49 53 55 58 60 61 65 73
- 52) **Dyspessa salicicola (Eversmann,1848)** (Cossidae) *salicicola* Eversmann,1848 04 06 17 22 33 36 39 76
- 53) **Dyspessa ulula (Borkhausen,1790)** (Cossidae) *ulula* Borkhausen,1790; *hepialica* Borkhausen,1790; *hepialina* Hübner,1792; *marmorata* Rambur,1858; *fuscata* Staudinger,1892; *affinis* Rothschild,1917; *maroccana* Rothschild,1917; *pallida* Rothschild,1917 *nec* Roth.,1912. 05 06 07 14 16 17 20 21 26 33 36 42 45 46 58 60 66
- 54) **Paracossulus thrips (Hübner,[1818])** (Cossidae) *thrips* Hübner,[1818] 30 36
- 55) **Phragmocossia albida (Erschoff,1874)** (Cossidae) *albida* Erschoff,1874 05 24 25 30 33 35 36 38 46 58 71
- 56) **Phragmataecia castaneae (Hübner,1790)** (Cossidae) *castaneae* Hübner,1790; *arundinis* Hübner,[1808]; *minor* Moore,1879; *pygmaea* Graeser,1888; *minima* Hampson,1891 04 36 42 46
- 57) **Amata aequipuncta (Turati,1917)** (Ctenuchidae) *aequipuncta* Turati,1917 01 05 31 32 33 36 46 51 58
- 58) **Amata banghaasi Obratzov,1966** (Ctenuchidae) *caspia* Alpheraky,1892 *nec* Stgr.,1877; *minuta* A.Bang-Haas,1910 *nec* Bsd.,1833; *banghaasi* Obratzov,1966; *schacht* De Freina,1994. 36 76
- 59) **Dysauxes famula (Freyer,1836)** (Ctenuchidae) *famula* Freyer,1836; *hyalina* Freyer,1845; *ragusaria* Zickert,1904; *kaschmirensis* Rothschild,1910; *semidiaphana* Stauder,1921; *herthina* Stauder,1921; *burgeffi* Draudt,1931; *pseudoservula* Naufock,1933; *pontica* Friese,1959; *sofiata* De Laever,1983; *lucana* De Laever,1983. 01 06 07 08 10 11 12 14 16 17 21 23 25 30 31 33 34 36 42 44 45 46 50 56 59 60 65 71 73
- 60) **Cilix asiatica A.Bang-Haas,1907** (Drepanidae) *asiatica* A.Bang-Haas,1907; *depalpata* Strand,1913 05 06 07 10 12 17 30 33 36 42 45 46 47 50 58 65 71 73
- 61) **Syncopacma semicostella (Staudinger,1871)** (Gelechiidae) *semicostella* Staudinger,1871; *albicapitella* Bidzilya,1996 36 58
- 62) **Abraxas (s.str.) grossulariatus (Linnaeus,1758)** (Geometridae) *grossulariata* Linnaeus,1758; *cuneifera* W.Warren,1895; *memorabilis* Inoue,1946 36
- 63) **Aplocera annexata (Freyer,[1830])** (Geometridae) *annexata* Freyer,[1830]; *boisduvaliata* Duponchel,1831 05 06 16 24 31 33 36 38 42 46 58 60 61 65 69 76
- 64) **Aplocera uniformata (Urbahn,1971)** (Geometridae) *uniformata* Urbahn,1971 06 29 36 53 62
- 65) **Camptogramma bilineatum (Linnaeus,1758)** (Geometridae) *bilineata* Linnaeus,1758; *brocatella* Fourcroy,1785; *dumetata* Schrank,1802; *bilinearia* Boisduval,1840; *musauria* Freyer,1846; *testaceolata* Staudinger,1871 05 06 14 16 17 22 23 31 33 34 35 36 38 39 42 45 46 59 65
- 66) **Chlorissa asphaleia Wiltshire,1966** (Geometridae) *asphaleia* Wiltshire,1966; *#esphaleia* Scoble,1999 [this incorrect spelling name was used by Scoble (1999: 139) as a valid name, as if it were a true species in the world]. 36 65
- 67) **Chloroclysta truncata (Hufnagel,1767)** (Geometridae) *truncata* Hufnagel,1767; *centumnotata* Schulze,1775; *russata* [Denis & Schiffermüller],1775; *perfuscata* Haworth,1809; *commantata* Haworth,1809; *saturata* Stephens,1831; *russaria* Boisduval,1840; *perfuscaria* La Harpe,1853 36 53 61
- 68) **Cleta filicearia (Herrich-Schäffer,[1847])** (Geometridae) *filicearia* Herrich-Schäffer,[1847] 05 06 31 36
- 69) **Digrammia rippertaria (Duponchel,1830)** (Geometridae) *rippertaria* Duponchel,1830; *hebetata* Hulst,1881; *ponderosa* Barnes & McDunnough,1917; *demaculata* Barnes & McDunnough,1917; *tulareata* Cassino & Swett,1923. 36
- 70) **Epione vespertaria (Linnaeus,1767)** (Geometridae) *vespertaria* Linnaeus,1767; *paralellaria* [Denis & Schiffermüller],1775. 29 36 61
- 71) **Eupithecia denotata (Hübner,[1813])** (Geometridae) *denotata* (Hübner,[1813]); *atraria* Herrich-Schäffer,[1848]; *campanulata* Herrich-Schäffer,1861; *primulata* Millièr,1874; *jasioneata* Crewe,1881; *livida* Dietze,1910. 07 36

- 72) **Eupithecia icterata** (Villers,1789) (Geometridae) *icterata* Villers,1789; *oxydata* Treitschke,1828; *cognata* Stephens,1831; *ligustigata* Donzel,1838; *ferrugata* Duponchel,1842; *#ligusticata* Dietze,1910 36 65
- 73) **Eupithecia mekrana** Brandt,1941 (Geometridae) *mekrana* Brandt,1941; *commenticia* Vojnits,1982; *idonea* Vojnits,1982; *stulta* Vojnits,1982. 04 36
- 74) **Eupithecia minusculata** (Alpheraky,1883) (Geometridae) *minusculata* Alpheraky,1883; *inversaria* Turati,1930; *penultimaria* Wiltshire,1985. 36
- 75) **Eupithecia ochrovittata** Christoph,1887 (Geometridae) *ochrovittata* Christoph,1887 36
- 76) **Eupithecia subfuscata** (Haworth,[1809]) (Geometridae) *subfuscata* Haworth,[1809]; *castigata* Hübner,[1813]; *castigaria* Boisduval,1840; *compressata* Guenée,[1858]; *implicata* Walker,1862; *blancheata* Cooke,1881; *latipennis* Hulst,1898 08 36 61 76
- 77) **Gnophos (s.str.) ciscaucasius** Rjabov,1964 (Geometridae) *ciscaucasius* Rjabov,1964 08 36 53 75
- 78) **Idaea metohiensis** (Rebel,1900) (Geometridae) *metohiensis* Rebel,1900; *anatolica* Schwingenschuss,1938. 06 36 42
- 79) **Idaea pallidata** ([Denis & Schiffermüller],1775) (Geometridae) *pallidata* [Denis & Schiffermüller],1775; *pallidaria* Treitschke,1825; *byssinata* Treitschke,1828; *byssinaria* Boisduval,1840 36 75
- 80) **Idaea straminata** (Borkhausen,1794) (Geometridae) *straminata* Borkhausen,1794; *inornata* Haworth,1809; *suffusaria* Boisduval,1840; *inornaria* Doubleday,1849; *agrostemmata* Guenée,[1858] 05 16 36 42
- 81) **Lomaspilis opis** (Butler,1878) (Geometridae) *opis* Butler,1878 08 25 36 65
- 82) **Megalycinia scalaria** (Christoph,1893) (Geometridae) *scalaria* Christoph,1893 36
- 83) **Nebula salicata** ([Denis & Schiffermüller],1775) (Geometridae) *#salicata* [Denis & Schiffermüller],1775 01 05 16 17 29 34 35 36 42 46
- 84) **Odezia atrata** (Linnaeus,1758) (Geometridae) *atrata* Linnaeus,1758; *chaerophyllata* Linnaeus,1767; *chaerophyllaria* Boisduval,1840; *pyrenaica* Gumpenberg,1887 05 06 29 33 36 42 60 65 71
- 85) **Peribatodes inaequalis** (Goeze,1781) (Geometridae) *#rhomboidaria* [Denis & Schiffermüller],1775; *inaequalis* Goeze,1781; *gemmaria* Brahm,1791; *ichnusaria* Ghiliani,1852; *corsicaria* Schawerda,1931; *syrtaurica* Wehrli,1931 05 16 17 22 31 33 34 36 42 45 46 59 65
- 86) **Perizoma albulata** ([Denis & Schiffermüller],1775) (Geometridae) *albulata* [Denis & Schiffermüller],1775; *dissoluta* Strand,1902 36 61
- 87) **Perizoma hydrata** (Treitschke,1829) (Geometridae) *hydrata* Treitschke,1829; *flexuosaria* Boheman,1852 36 75
- 88) **Perizoma lugdunaria** (Herrich-Schäffer,1855) (Geometridae) *lugdunaria* Herrich-Schäffer,1855 36
- 89) **Perizoma parahydrata** Alberti,1969 (Geometridae) *parahydrata* Alberti,1969 08 36 75
- 90) **Schistostege nubilaria** (Hübner,[1799]) (Geometridae) *nubilaria* Hübner,[1799]; *exalbata* Hübner,[1817]; *knupfferi* Hoyningen-Huene,1904 36
- 91) **Scopula incanata** (Linnaeus,1758) (Geometridae) *incanata* Linnaeus,1758; *variegata* Scopoli,1763; *mediata* Fabricius,1777; *planata* Villers,1789; *incanaria* Hübner,[1825]; *mutata* Treitschke,1828; *mutataria* Duponchel,1830; *adjunctaria* Boisduval,1840; *demutaria* Bruand,1846 05 08 16 25 29 30 36 53 76
- 92) **Scopula orientalis** (Alpheraky,1876) (Geometridae) *orientalis* Alpheraky,1876 08 25 36 50
- 93) **Scotopteryx bipunctaria** ([Denis & Schiffermüller],1775) (Geometridae) *bipunctaria* [Denis & Schiffermüller],1775; *undulata* Scopoli,1763 *nec* Linn.,1758; *geminataria* Villers,1789; *gachtaria* Freyer,1851 05 06 08 14 16 17 29 36 38 53 60 61 69 75
- 94) **Scotopteryx chenopodiata** (Linnaeus,1758) (Geometridae) *chenopodiata* Linnaeus,1758; *limitata* Scopoli,1763; *zonata* Hufnagel,1767; *olivaceofasciata* Retzius,1783; *chenopodiaria* Haworth,1809; *mensuraria* sensu Duponchel,1829 05 06 08 14 18 42 36 53 61 65 69 75
- 95) **Scotopteryx coarctaria** ([Denis & Schiffermüller],1775) (Geometridae) *coarctaria* [Denis & Schiffermüller],1775; *coarctata* Fabricius,1794; *tenebraria* Hübner,[1809] 01 05 06 14 16 33 36
- 96) **Tephрина arenacearia** ([Denis & Schiffermüller],1775) (Geometridae) *arenacearia* [Denis & Schiffermüller],1775; *flavidaria* Eversmann,1852; *discriminaria* Walker,1862; *irradiata* Walker,1862; *impreviata* Walker,1863; *stena* Wehrli,1940 16 22 36 39
- 97) **Tephрина murinaria** ([Denis & Schiffermüller],1775) (Geometridae) *murinaria* [Denis & Schiffermüller],1775; *nubecularia* Villers,1789; *myosaria* Esper,[1806]; *cineraria* Duponchel,1829; *buffonaria* Millière,1855 16 36 65
- 98) **Thera (s.str.) obeliscata** (Hübner,1787) (Geometridae) *obeliscata* Hübner,1787; *tristrigaria* Donovan,1808; *scotica* Staudinger,1901; *diniensis* Heinrich,1923 36
- 99) **Carcharodus (Lavatheria) lavatherae** (Esper,[1783]) (Hesperiidae) *lavatherae* Esper,[1783]; *australior* Verity,1919; *pyrenaicus* Ricard,1948. 01 03 05 06 07 08 12 13 14 17 18 19 21 23 24 25 29 30 32 33 36 37 38 40 41 42 44 46 49 50 51 56 58 60 62 65 66 68 70 73 74 75 76
- 100) **Carcharodus (Lavatheria) stauderi** Reverdin,1913 (Hesperiidae) *stauderi* Reverdin,1913. 01 05 07 23 24 27 30 31 35 36 42 44 50 58 60 65 76
- 101) **Carcharodus (Reverdinus) flocciferus** (Zeller,1847) (Hesperiidae) *flocciferus* Zeller,1847; *altheae* Hübner,[1803] *nec* Esp.,[1783]; *imperator* Hemming,1934; *alchymillae* Hemming,1936; *autumnalis* Verity,1940. 08 25 30 36 53 65 69 71 75 76
- 102) **Carcharodus (Reverdinus) orientalis** Reverdin,1913 (Hesperiidae) *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932. 01 03 05 06 07 08 10 13 14 16 17 18 19 20 21 23 24 25 27 29 30 31 32 33 34 35 36 38 42 43 44 46 47 48 49 50 51 56 58 60 62 65 66 69 70 73 74 76
- 103) **Carcharodus (s.str.) alceae** (Esper,[1780]) (Hesperiidae) *alceae* Esper,[1780]; *malvae* Hufnagel,1766 *nec* Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948. 01 03 04 05 06 07 08 09 10 12 13 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 45 46 47 48 49 50 51 53 56 58 60 62 63 65 66 67 70 71 72 73 74 76
- 104) **Eogenes alcides** Herrich-Schäffer,[1852] (Hesperiidae) *alcides* Herrich-Schäffer,[1852] 05 08 20 23 24 25 30 35 36 42 50 56 60 62 65 66
- 105) **Erynnis (Hesperopegasus) marloyi** (Boisduval,[1834]) (Hesperiidae) *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849]. 01 03 04 05 06 07 08 09 12 13 16 17 18 21 23 24 25 27 28 29 30 31 32 33 34 35 36 38 40 42 44 46 48 50 58 60 62 65 66 70 71 73 76
- 106) **Erynnis (s.str.) tages** (Linnaeus,1758) (Hesperiidae) *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921. 01 03 05 06 07 08 11 12 13 14 16 17 18 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 41 42 44 45 46 49 50 51 52 54 56 58 59 62 65 66 67 69 70 71 73 75 76
- 107) **Hesperia comma** (Linnaeus,1758) (Hesperiidae) *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928. 03 04 05 06 07 08 10 13 14 15 16 23 24 25 29 30 32 33 35 36 38 42 46 50 51 58 60 65 66 69 70 71 76 81
- 108) **Muschampia tessellum** (Hübner,[1802]) (Hesperiidae) *tessellum* Hübner,[1802]; *hibisci* Böber,1812; *mazzola* Ochsenheimer,1816 03 06 08 14 16 21 24 25 29 34 36 43 48 67 69 75 76 81
- 109) **Ochlodes venatus** (Bremer & Grey,[1852]) (Hesperiidae) *venatus* Bremer & Grey,[1852] 01 02 03 05 06 07 08 10 11 13 14 16 17 24 25 26 29 30 31 32 33 34 36 37 39 41 42 43 46 53 58 60 61 62 65 66 69 72 73 74 81

- 110) **Pyrgus alveus (Hübner,[1803])** (Hesperiidae) *alveus* Hübner,[1803]; *alticolus* Rebel,1910; *ryffelensis* Oberthür,1910; *claralveus* Verity,1934; *confusa* Renner,1991; *germanica* Renner,1991. 04 08 24 25 29 30 36 51 53 61 62 69 75 76
- 111) **Pyrgus armoricanus (Oberthür,1910)** (Hesperiidae) *armoricanus* Oberthür,1910; *petheri* Romei,1927. 01 02 03 04 05 06 07 08 09 12 13 14 16 17 18 19 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 41 42 43 44 46 48 49 51 52 53 58 60 61 62 65 66 68 69 70 71 73 74 76
- 112) **Pyrgus cinarae (Rambur,[1839])** (Hesperiidae) *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840 01 03 05 06 08 13 15 16 22 25 29 30 33 35 36 38 42 43 53 58 60 62 76
- 113) **Pyrgus cirsii (Rambur,[1839])** (Hesperiidae) *cirsii* Rambur,[1839]; *turcivola* De Lattin,1950. 08 13 24 25 36 65 69 75 76
- 114) **Pyrgus melotis (Duponchel,[1834])** (Hesperiidae) *melotis* Duponchel,[1834]; *hypoleucos* Lederer,1853; *jordana* Hemming,1932. 01 02 03 04 05 06 07 08 09 10 12 13 14 18 20 21 23 24 25 27 28 29 30 31 32 33 35 36 38 42 43 44 46 48 49 50 51 52 53 58 60 61 65 66 69 70 71 73 81
- 115) **Pyrgus serratulae (Rambur,[1839])** (Hesperiidae) *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 *nec* Skinn.,1906; *planorum* Verity,1925; *magnagallica* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948. 01 03 04 05 06 07 08 12 13 14 17 18 23 24 25 27 28 29 30 31 32 33 34 36 37 38 42 46 47 48 49 50 51 52 53 54 58 60 61 62 65 66 69 70 71 73 74 76
- 116) **Pyrgus sidae (Esper,[1784])** (Hesperiidae) *sidae* Esper,[1784] 01 03 04 05 06 07 08 10 12 13 14 16 17 18 20 21 23 24 25 28 29 30 32 33 34 35 36 38 39 41 42 46 49 50 51 53 58 59 60 61 62 65 66 69 71 72 73 74 76 81
- 117) **Spialia (Neospialia) orbifer (Hübner,[1823])** (Hesperiidae) *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 72 73 74 75 76 77 80
- 118) **Spialia (s.str.) phlomidis (Herrich-Schäffer,[1845])** (Hesperiidae) *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974. 03 04 05 06 07 08 10 12 13 14 15 16 17 19 23 24 25 26 29 30 32 34 36 38 42 44 49 50 51 58 60 62 65 66 69 70 71 75 76
- 119) **Thymelicus acteon (Rottemburg,1775)** (Hesperiidae) *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara-obsoleta* Tutt,1920; *phoenix* Graves,1925; *aureascens* Verity,1948. 01 05 06 07 10 13 16 17 19 20 21 23 24 25 29 30 32 33 34 35 36 39 43 44 45 46 48 54 55 56 58 60 62 65 72 73 74 77 80
- 120) **Thymelicus hyrax (Lederer,1861)** (Hesperiidae) *hyrax* Lederer,1861; *pfeifferi* Bytinski-Salz & Brandt,1937. 01 05 06 07 08 09 13 16 18 23 24 25 29 30 31 33 35 36 42 46 48 65 73
- 121) **Thymelicus lineolus (Ochsenheimer,1808)** (Hesperiidae) *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabille,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934 01 02 03 04 05 06 07 08 10 12 13 14 15 16 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 36 38 39 40 42 43 44 46 47 48 49 50 51 56 58 60 62 63 65 66 69 70 71 73 74 75 76 80
- 122) **Thymelicus sylvestris (Poda,1761)** (Hesperiidae) *sylvestris* Poda,1761; *flava* Brunnich,1763; *linea* Müller,1764; *thauamas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 56 58 60 61 62 63 64 65 66 67 69 70 71 72 73 74 76 81
- 123) **Dendrolimus pini (Linnaeus,1758)** (Lasiocampidae) *pini* Linnaeus,1758; *paulae* Daniel,1959; *adriatica* Micheli,1959 05 06 08 14 17 19 25 36 46 53 60 61 62
- 124) **Eriogaster lanestris (Linnaeus,1758)** (Lasiocampidae) *lanestris* Linnaeus,1758; *senecta* Graeser,1888 14 22 25 36
- 125) **Lasiocampa eversmanni (Kindermann,1843)** (Lasiocampidae) *eversmanni* Kindermann,1843; *eversmanni* Freyer,1844; *attrita* Stshetkin,1960. 01 04 06 07 13 19 23 25 30 36 46 50 56 58 62 63 65 71
- 126) **Lasiocampa quercus (Linnaeus,1758)** (Lasiocampidae) *quercus* Linnaeus,1758; *roboris* Fabricius,1793; *spartii* Hübner,[1803]; *guillemonii* Trimoulet,1858; *sicula* Staudinger,1861; *scopariae* Millière,1861; *burdigalensis* Gerhard,1882; *meridionalis* Tutt,1901; *altaica* Grünberg,1911; *balcanoturcica* De Freina,1981 08 16 25 36 41 43 60 67
- 127) **Malacosoma alpicola Staudinger,1870 /primum Staudinger,1887** (Lasiocampidae) *alpicola* Staudinger,1870 12 13 30 36 44 45 60 65 66 69
- 128) **Malacosoma castrensis (Linnaeus,1758)** (Lasiocampidae) *castrensis* Linnaeus,1758 04 05 06 12 13 14 16 23 24 25 30 33 35 36 38 42 53 58 60 65 71
- 129) **Malacosoma franconicum ([Denis & Schiffermüller],1775) /prima Staudinger,1887** (Lasiocampidae) *#franconica* [Denis & Schiffermüller],1775; *grandiella* Boisduval,1840 05 12 30 36 45 60 65
- 130) **Malacosoma neustrium (Linnaeus,1758)** (Lasiocampidae) *neustria* Linnaeus,1758; *annularis* Fourcroy,1785; *unicolor* Cyrrilli,1787; *bilineatus* Haworth,1803 05 06 08 12 13 14 17 19 22 23 25 30 32 33 35 36 37 42 46 53 58 60 61 62 65 71
- 131) **Malacosoma paralellum Staudinger,1887** (Lasiocampidae) *paralellum* Staudinger,1887 04 24 25 36 58
- 132) **Phyllostoma tremulifolium (Hübner,[1810])** (Lasiocampidae) *betulifolium* Ochsenheimer,1810 *nec* Esp.,1782; *tremulifolium* Hübner,[1810]; *#tremulifolium* De Freina,1999 01 05 06 07 10 12 13 24 25 30 32 33 36 42 46 58 60 62 64 65 71
- 133) **Sena sordida (Erschoff,1874)** (Lasiocampidae) *sordida* Erschoff,1874 36
- 134) **Lemonia balcanica Herrich-Schäffer,[1843]** (Lemoniidae) *balcanica* Herrich-Schäffer,[1843]; *anatolica* Wagner,1931. 08 25 33 36 42 60
- 135) **Lemonia pia Püngeler,1902** (Lemoniidae) *pia* Püngeler,1902 01 04 07 21 25 30 36 44 46 56 58 73 76
- 136) **Callophrys rubi (Linnaeus,1758)** (Lycaenidae) *rubi* Linnaeus,1758 01 03 05 06 07 08 10 12 13 14 16 17 18 21 22 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 40 42 44 45 46 48 50 51 52 55 58 60 62 65 66 69 70 71 73 75
- 137) **Callophrys suaveola (Staudinger,1881)** (Lycaenidae) *suaveola* Staudinger,1881 04 13 25 30 36 58 65 73
- 138) **Celastrina argiolus (Linnaeus,1758)** (Lycaenidae) *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 *nec* Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919. 01 02 03 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 45 46 47 48 49 50 51 52 53 54 56 59 60 61 62 65 66 67 69 73 75 76 81
- 139) **Cupido (s.str.) minimus (Fuessly,1775)** (Lycaenidae) *minimus* Fuessly,1775; *alsus* [Denis & Schiffermüller],1775; *pseudolus* Bersträßer,[1779]; *puer* Schrank,1801. 01 03 06 16 24 25 29 32 36 37 42 51 53 58 60 65 66 69 74 76
- 140) **Cupido (s.str.) osiris (Meigen,[1829])** (Lycaenidae) *osiris* Meigen,[1829]; *saportae* Duponchel,1832; *violacea* Verity,1911; *sebrus* Boisduval,[1833]. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 21 23 24 25 26 28 29 30 31 32 33 35 36 37 38 41 42 44 46 48 50 51 52 53 58 59 60 61 62 65 66 67 68 69 70 71 73 75 76 81
- 141) **Glaucopsyche (s.str.) alexis (Poda,1761)** (Lycaenidae) *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller,1775; *#sublugens* Strand,1909; *#insulicola* Turati & Fiori,1930; *mironi* Coutis,1976. 01 02 03 04 05 06 07 08 09 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 52 58 60 61 62 65 66 68 69 70 71 73 74 76 80

- 142) **Heodes (Loweia) tityrus (Poda,1761)** (Lycaenidae) *tityrus* Poda,1761; *acrion* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79
- 143) **Heodes (s.str.) virgaureae (Linnaeus,1758)** (Lycaenidae) *virgaureae* Linnaeus,1758; *armeniaca* A.Bang-Haas,1906; *chrysorhoas* Fruhstorfer,1917; *balcanicola* Graves,1928. 01 03 04 05 06 08 11 13 14 16 18 24 25 26 29 30 32 33 36 37 42 43 46 51 53 58 60 62 65 66 69 75 76
- 144) **Lampides boeticus (Linnaeus,1767)** (Lycaenidae) *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 40 42 44 45 46 47 48 49 50 51 52 53 56 58 60 62 63 64 65 70 71 72 73 76
- 145) **Lycaena (s.str.) phlaeas (Linnaeus,1761)** (Lycaenidae) *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 *nec* Linnaeus,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 68 69 71 72 73 74 76 81
- 146) **Maculinea arion (Linnaeus,1758)** (Lycaenidae) *arion* Linnaeus,1758; *telegone* Bergsträßer,1779; *caucasica* Jachontov,1914 *nec* Led.,1870; *zara* Jachontov,1935. 03 04 05 06 08 13 14 16 24 25 29 34 36 49 62 65 69 74 76
- 147) **Maculinea nausithous (Bergsträßer,[1779])** (Lycaenidae) *nausithous* Bergsträßer,[1779]; *arcas* Rottemburg,1775 *nec* Dru.,1773; *erebus* Knoch,1782. 04 08 24 25 36 69 75 76
- 148) **Maculinea rebeli (Hirschke,1904)** (Lycaenidae) *rebeli* Hirschke,1904; *coerulea* Vorbrod,1912; *latimargo* Courvoisier,1913; *alpicola* Beuret,1949; *cruciata* Beuret,1949; *gadmensis* Beuret,1949; *magnalpicola* Beuret,1949. 08 18 24 25 29 36 37 60 65 69 74 76
- 149) **Palaeochrysophanus candens (Herrich-Schäffer,[1845])** (Lycaenidae) *candens* Herrich-Schäffer,[1845] 03 04 05 06 08 13 14 16 18 24 25 28 29 30 36 43 49 53 58 60 61 65 66 69 75 76
- 150) **Phoenicurusia phoenicura (Lederer,1870)** (Lycaenidae) *phoenicurus* Lederer,1870. 04 36 76
- 151) **Plebejus (Kretania) carmon (Gerhard,[1851])** (Lycaenidae) *carmon* Gerhard,[1851, November]; *eurypilus* Freyer,[1851,December]. 01 02 03 04 05 06 07 08 12 13 14 16 18 19 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 42 44 46 47 48 49 50 51 56 58 60 62 63 64 65 66 69 70 71 72 73 74 76
- 152) **Plebejus (Lycaeides) christophi (Staudinger,1874)** (Lycaenidae) *christophi* Staudinger,1874; *argivus* Staudinger,1886. 36 76
- 153) **Plebejus (Lycaeides) idas (Linnaeus,1761)** (Lycaenidae) *idas* Linnaeus,1761; *leodorus* Esper,1782; *acreon* Fabricius,1787; *amphion* Fabricius,1793. 01 03 04 05 06 07 08 13 14 16 18 19 24 25 26 29 30 33 36 37 38 42 44 46 49 51 52 53 58 62 65 66 67 69 70 73 74 76
- 154) **Plebejus (Plebejides) modicus Verity,1935** (Lycaenidae) *modicus* Verity,1935; *microsephyrus* Verity,1935 01 02 03 04 05 06 07 08 12 13 14 16 17 18 19 21 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 42 44 46 47 48 49 50 51 52 53 56 58 59 60 62 65 66 68 69 70 71 72 73 75 76
- 155) **Plebejus (s.str.) argus (Linnaeus,1758)** (Lycaenidae) *argus* Linnaeus,1758; *aegon* Denis & Schiffermüller,1775; *plouharnelensis* Oberthür,1926; *pulchruphilonome* Verity,1931. 01 03 04 05 06 07 08 10 13 14 16 17 18 22 24 25 26 28 29 30 32 33 34 36 37 38 39 41 42 43 46 49 50 51 52 53 54 55 58 59 60 62 65 66 67 69 70 73 75 76
- 156) **Polyommatus (Albulina (Plebejidea)) loewii (Zeller,1847)** (Lycaenidae) *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; *#robusta* Turati & Fiori,1930; *germaniciae* Pfeiffer,1932; *dzhagamati* Sheljuzhko,1934. 01 02 03 04 05 06 07 08 12 13 14 15 18 21 24 25 26 27 29 30 32 33 36 37 38 40 42 43 44 46 47 48 49 50 51 53 56 58 60 62 63 65 66 69 70 71 72 73 75 76 80
- 157) **Polyommatus (Albulina (Vacciniina)) alcedo (Christoph,1877)** (Lycaenidae) *alcedo* Christoph,1877 08 13 24 25 27 29 30 32 36 38 50 51 58 62 65 69 73 76
- 158) **Polyommatus (Aricia (Eumedonia)) eumedon (Esper,[1780])** (Lycaenidae) *chiron* Rottemburg,1775 *nec* Fabricius,1775; *eumedon* Esper,[1780]; *osiris* Bang-Haas,1927 *nec* Hopffer,1855; *rumeliensis* Eitschberger & Stein.,1975; *jeanensis* Eitschberger & Stein.,1975; *kagizmanensis* Koçak,1980. 01 03 05 06 08 13 14 16 18 24 25 29 32 33 36 38 42 46 51 53 58 60 61 65 66 69 74 75 76
- 159) **Polyommatus (Aricia (Pseudoaricia)) isauricus (Staudinger,1871)** (Lycaenidae) *isauricus* Staudinger,1871 01 04 07 24 25 33 35 36 38 42 44 46 51 58 62 76
- 160) **Polyommatus (Aricia (Ultraaricia)) crassipunctus (Christoph,1893)** (Lycaenidae) *crassipunctus* Christoph,1893; *#crassipunctata* Seitz,1909. 08 13 21 24 25 30 36 38 44 46 53 62 65 75 76 80
- 161) **Polyommatus (Aricia (s.str.)) agestis (Denis & Schiffermüller,[1775])** (Lycaenidae) *medon* Hufnagel,1766 *nec* Linn.,1763; *alexis* Rottemburg,1775 *nec* Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 44 45 46 47 48 49 50 51 54 55 56 58 60 61 62 63 65 66 68 69 70 71 72 73 75 76 81
- 162) **Polyommatus (Aricia (s.str.)) artaxerxes (Fabricius,1793)** (Lycaenidae) *artaxerxes* Fabricius,1793. 03 06 08 14 18 25 29 32 36 45 60 61 65 69 75
- 163) **Polyommatus (s.str. (Agrodiaetus (Actisia))) firdussii (Forster,1956)** (Lycaenidae) *firdussii* Forster,1956 01 03 04 08 24 25 29 30 31 36 38 42 44 46 49 50 51 58 62 65 66 69 76
- 164) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper,[1783])** (Lycaenidae) *admetus* Esper,[1783] 01 02 03 05 06 07 08 09 10 11 14 15 16 17 18 20 22 24 25 26 29 32 33 35 36 38 39 40 41 42 43 44 46 50 51 55 58 59 60 62 64 66 68 69 70 71 75 76
- 165) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis (Zerny,1932)** (Lycaenidae) *alcestis* Zerny,1932; *ahmadi* Carbonell,2001; *karacetinae* Lukhtanov & Dantchenko,2002. 01 04 06 13 14 21 23 24 25 26 30 32 33 36 38 42 44 46 50 51 58 62 65 66
- 166) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi (Pfeiffer,1938)** (Lycaenidae) *demavendi* Pfeiffer,1938; *#demavendi* de Lesse,1960 04 05 06 13 18 23 24 25 36 38 50 58 60 62 65 66 71 76
- 167) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) erivanensis (Forster,1960)** (Lycaenidae) *erivanensis* Forster,1960 08 24 25 36 58 62 65 69 75 76
- 168) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycaenidae) *ripartii* Freyer,[1830]. 01 03 05 06 07 08 13 14 16 18 23 24 25 26 29 30 32 33 34 36 38 40 42 44 46 50 51 58 60 62 65 66 69 70 74 76
- 169) **Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri (Forster,1956)** (Lycaenidae) *wagneri* Forster,1956 01 03 04 06 07 08 13 23 24 25 29 30 32 33 36 38 42 46 50 51 58 60 62 65 66 69 70 76
- 170) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia (Herrich-Schäffer,[1847])** (Lycaenidae) *iphigenia* Herrich-Schäffer,[1847] 01 03 04 05 06 07 08 13 14 16 24 25 29 30 32 33 36 37 38 42 46 48 51 53 58 60 62 65 66 69 70 76

- 171) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) tankeri (De Lesse,1960)** (Lycaenidae) *tankeri De Lesse,1960* 04 25 36 69 76
- 172) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) vanensis (De Lesse,1957)** (Lycaenidae) *vanensis De Lesse,1957* 04 08 13 24 25 30 36 62 65 69 76
- 173) **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) altivagans (Forster,1956)** (Lycaenidae) *altivagans Forster,1956; vaspurakani Lukhtanov & Dantchenko,2003* 04 08 24 29 36 65 76
- 174) **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) aserbeidschanus (Forster,1956)** (Lycaenidae) *aserbeidschana Forster,1956* 08 25 29 36 69
- 175) **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) eurytilos (Gerhard,[1851])** (Lycaenidae) *eurytilos Gerhard,[1851]; carmon Herrich-Schäffer,[1851 December]; munzuricus Rose,1978* 01 02 03 05 06 08 15 20 24 25 27 29 33 36 38 42 46 48 50 51 58 60 62 66 69
- 176) **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) huberti (Carbonell,1993)** (Lycaenidae) *huberti Carbonell,1993* 04 08 13 24 25 29 30 36 65 69 76
- 177) **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) ninia (Forster,1956)** (Lycaenidae) *ninia Forster,1956* 04 08 13 24 25 29 30 36 65 69 76
- 178) **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) turcicus (Koçak,1977)** (Lycaenidae) *turcicus Koçak,1977* 04 08 13 24 25 29 30 36 62 65 69 76
- 179) **Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus (Staudinger,1899)** (Lycaenidae) *cyaneus Staudinger,1899; pseudocyaneus Forster,1956.* 25 36 65 76
- 180) **Polyommatus (s.str. (Agrodiaetus (s.str.))) damon ([Denis & Schiffermüller],1775)** (Lycaenidae) *damon [Denis & Schiffermüller],1775* 04 08 24 25 29 36 69 75 76
- 181) **Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842])** (Lycaenidae) *bellis Freyer,[1842]; mesopotamica Tutt,[1909].* 01 03 04 05 06 07 08 10 12 13 14 16 17 18 19 23 24 25 27 28 29 30 31 32 33 34 36 37 38 39 42 44 46 49 50 51 52 53 58 59 60 61 62 65 66 69 70 71 73 74 76 80
- 182) **Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775)** (Lycaenidae) *bellargus Rottemburg,1775; thetis Rottemburg,1775 nec Dru.,1773; adonis Denis & Schiffermüller,[1775]; salacia Bergsträßer,1779; venilia Bergsträßer,1779; hyacinthus Lewin,1795; urania Gerhard,[1851]; persemagna Verity,1937; arentissima Verity,1937; arens Verity,1937; arentior Verity,1937; anteaerentior Verity,1937; parabellargus Verity,1939; shakla Higgins,1958* 01 02 03 04 05 06 07 08 11 12 13 14 15 16 18 19 20 21 23 24 25 26 27 28 29 30 32 33 34 36 37 38 39 41 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 68 69 70 71 72 73 74 75 76 80
- 183) **Polyommatus (s.str. (Lysandra)) corydonius (Herrich-Schäffer,[1852])** (Lycaenidae) *corydonius Herrich-Schäffer,[1852]* 04 08 12 13 23 24 25 29 36 49 62 65 69 73 75 76
- 184) **Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae) *daphnis [Denis & Schiffermüller],1775; endymion [Denis & Schiffermüller],1775 nec Fabricius,1775; meleager Esper,1778; dalmatina Wagner,1909.* 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 23 24 25 26 29 30 31 32 33 34 35 36 38 40 42 43 44 46 48 49 50 51 53 58 60 62 65 66 68 69 70 71 73 74 76
- 185) **Polyommatus (s.str. (Neolysandra)) coelestinus (Eversmann,1843)** (Lycaenidae) *coelestinus Eversmann,1843* 01 04 05 06 07 08 12 13 23 24 25 28 29 30 36 38 42 44 49 52 58 62 65 69 73 76
- 186) **Polyommatus (s.str. (Neolysandra)) diana (Miller,[1913])** (Lycaenidae) *diana Miller,[1913]* 04 25 29 36 69 76
- 187) **Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) *icarius Esper,1789 nec Rottemburg,1775; amandus Schneider,1792* 01 02 03 04 05 06 07 08 10 13 14 16 17 18 19 21 23 24 25 27 28 29 30 31 32 33 34 36 38 42 44 46 47 48 49 50 51 52 53 56 58 60 62 65 66 69 70 71 73 74 76 80
- 188) **Polyommatus (s.str. (Plebicula)) dorylas ([Denis & Schiffermüller],1775)** (Lycaenidae) *dorylas [Denis & Schiffermüller],1775; hylas Esper,[1778] nec Linnaeus,1758; argester Bergsträßer,[1779]; magna Balint,1985.* 01 03 05 06 08 14 16 18 24 25 29 32 33 36 37 38 42 46 48 50 51 62 66 69 70 75 76
- 189) **Polyommatus (s.str. (Sublysandra)) aedon (Christoph,1877)** (Lycaenidae) *aedon Christoph,1877* 04 08 13 24 25 29 36 49 53 62 65 69 76
- 190) **Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) *thersites Canterer,[1835]; chapmani Ball,1914; meridiana Verity,1919.* 01 02 03 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 38 39 40 42 43 44 46 48 49 50 51 52 54 58 59 60 62 64 65 66 68 69 70 71 74 75 76 81
- 191) **Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) *argus Poda,1761 nec Linn.,1758; alexis Scopoli,1763 nec Pda,1761; thetis Esper,1777 nec Dru.,1773; icarus Rottemburg,1775; pampholyge Bergsträßer,1779; candybus Bergsträßer,1779; candiope Bergsträßer,1779; candaon Bergsträßer,1779; oceanus Bergsträßer,1779; fuscioles Fourcroy,1785; icarinus Scriba,1795; pusillus Gerhard,1851;* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 75 76 81
- 192) **Pseudophilotes vicrama (Moore,1865)** (Lycaenidae) *vicrama Moore,1865* 01 03 04 05 06 07 08 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 42 43 44 45 46 47 48 49 50 51 58 60 62 63 64 65 66 67 68 69 70 71 73 74 76
- 193) **Satyrrium (Nordmannia) abdominalis (Gerhard,[1850])** (Lycaenidae) *abdominalis Gerhard,[1850]; gerhardi Staudinger,[1895]; alboabdominalis Pfeiffer,1938; persica Riley,1939; #gerhardi Wiltshire,1943; elta Higgins,1964.* 02 05 06 07 08 12 13 17 18 19 21 23 24 25 27 29 30 31 32 33 35 36 38 42 44 46 47 49 50 51 52 58 60 62 63 65 66 69 70 71 72 73 76 80
- 194) **Satyrrium (Nordmannia) armenum (Rebel,1901)** (Lycaenidae) *armenum Rebel,1901* 04 08 13 24 25 30 36 49 62 65 69 76
- 195) **Satyrrium (Strymonidia) spini (Fabricius,1787)** (Lycaenidae) *#spini [Denis & Schiffermüller],1775; lynceus Esper,[1779] nec Drury,1773; spini Fabricius,1787; cerasi Herbst,1804 nec Fabricius,1787; #albosparsa Oberthür,1910; anatolicus De Lattin,1950.* 01 03 04 05 06 07 08 13 15 16 17 18 19 24 25 26 27 29 30 31 32 33 34 36 38 41 42 43 44 46 48 49 50 51 56 58 60 62 65 66 68 69 70 71 73 74 76 80
- 196) **Satyrrium (Superflua) hyrcanicum (Riley,1939)** (Lycaenidae) *hyrcanicum Riley,1939* 08 36 69 76
- 197) **Satyrrium (Superflua) ledereri (Boisduval,1848)** (Lycaenidae) *ledereri Boisduval,1848* 05 06 07 08 19 24 27 29 30 32 36 42 44 46 50 51 58 62 63 65 71 73 76
- 198) **Tarucus (s.str.) balkanicus (Freyer,[1843])** (Lycaenidae) *balkanicus Freyer,[1843]* 01 02 03 05 06 07 08 10 12 13 16 17 20 21 23 25 27 30 33 36 46 48 56 59 60 62 65 67 70 71 72 73
- 199) **Thersamolycaena (Alciphronia) alciphron (Rottemburg,1775)** (Lycaenidae) *alciphron Rottemburg,1775; lampetie [Denis & Schiffermüller],1775; hiere Fabricius,1787.* 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 53 58 60 61 62 65 66 69 71 73 74 76
- 200) **Thersamonia (s.str.) asabinus (Gerhard,[1850])** (Lycaenidae) *#helius Herrich-Schäffer,[1851]; asabinus Herrich-Schäffer,[1852].* 01 03 04 05 07 08 12 13 21 23 24 25 30 32 33 36 42 44 46 47 50 51 52 58 62 65 70 73

- 201) **Thersamonia (s.str.) kefersteinii (Gerhard,[1850])** (Lycaenidae) *kefersteinii* Gerhard,[1850]; *phaeton* Freyer,[1850]; *#ochimus Herrich-Schäffer,[1851]*; *ochimus Herrich-Schäffer,[1852]*. 01 02 04 05 06 07 08 11 12 13 14 21 23 24 25 29 30 32 33 35 36 38 42 43 44 46 47 50 51 58 60 62 63 65 66 68 69 70 71 73 76
- 202) **Thersamonia (s.str.) thetis (Klug,1834)** (Lycaenidae) *thetis* Klug,1834. 01 03 04 05 06 07 08 12 13 16 24 25 29 30 32 33 35 36 38 42 46 48 49 51 58 60 62 65 66 69 73 76
- 203) **Tomares callimachus (Eversmann,1848)** (Lycaenidae) *callimachus* Eversmann,1848 13 30 36 44 46 47 63 65 73 76
- 204) **Tomares romanovi (Christoph,1882)** (Lycaenidae) *romanovi* Christoph,1882 04 12 13 23 30 36 47 62 65 73 76
- 205) **Turanana endymion (Freyer,[1850])** (Lycaenidae) *endymion* Freyer,[1850] 01 02 03 04 05 06 07 08 13 14 15 21 23 24 25 26 29 30 31 32 33 35 36 38 42 44 46 47 50 51 52 58 60 62 65 66 69 70 71 73 76
- 206) **Dicallomera fascelina (Linnaeus,1758)** (Lymantriidae) *fascelina* Linnaeus,1758; *medicaginis* Hübner,[1803]; *danieli* De Freina,1979. 24 25 36
- 207) **Euproctis chrysorrhoea (Linnaeus,1758)** (Lymantriidae) *chrysorrhoea* Linnaeus,1758; *phaeorrhoeus* Haworth,1803 04 05 06 08 12 13 14 16 19 24 25 36 38 42 46 50 58 60 65 66 71
- 208) **Leucoma salicis (Linnaeus,1758)** (Lymantriidae) *salicis* Linnaeus,1758; *apparens* Retzius,1783; *salicinus* Haworth,1803; *xanthocampa* Dyar,1905; *coreacola* Matsumura,1933; *sjoquisti* Bryk,1942; *variabilis* Bryk,1949 05 06 07 08 10 12 13 14 16 19 22 24 25 30 36 42 46 53 58 60 62 63 65 66
- 209) **Lymantria dispar (Linnaeus,1758)** (Lymantriidae) *dispar* Linnaeus,1758; *disparina* Müller,1802; *japonica* Motschulsky,1860; *disparoides* Mabilie,1876; *bordigalensis* Mabilie,1876; *asiatica* Whukowsky,1926 06 07 11 12 17 19 23 25 30 33 36 46 50 62 65 71
- 210) **Polymona lapidicola (Herrich-Schäffer,[1852])** (Lymantriidae) *lapidicola* Herrich-Schäffer,[1852] 01 05 06 07 14 19 23 33 35 36 42 44 46 47 48 50 56 63 65 71 73
- 211) **Lyonetia clerkella (Linnaeus,1758)** (Lyonetiidae) *clerkella* Linnaeus,1758; *penicilla* Borkhausen,1794; *cerasifoliella* Hübner,1796; *malifoliella* Hübner,1796; *malella* Schrank,1802; *autumnella* Curtis,1829; *unipunctella* Stephens,1829; *semiaurella* Stephens,1829; *nivella* Stephens,1829; *aereella* Treitschke,1833; *phrynella* Costa,[1836]; *fonscolombella* Duponchel,[1840]; *magnimaculella* Bruand,1859 08 24 25 36 76
- 212) **Abrostola clarissa (Staudinger,1900)** (Noctuidae) *clarissa* Staudinger,1900 04 05 06 08 18 24 25 30 31 33 36 47 50 58 62 65 66
- 213) **Abrostola triplasia (Linnaeus,1758)** (Noctuidae) *triplasia* Linnaeus,1758; *trigemina* Werneburg,1864. 04 05 08 13 16 18 25 31 36 37 38 39 53 75
- 214) **Acantholipes regularis (Hübner,[1813])** (Noctuidae) *regularis* Hübner,[1813] 01 05 06 13 14 23 30 33 35 36 46 50 62 65
- 215) **Acontia titania (Esper,[1798])** (Noctuidae) *titania* Esper,[1798]; *urania* Frivaldsky,1835; *eversmanni* Kolenati,1846. 01 05 08 16 17 24 30 33 36 50 58 60 62 65
- 216) **Acronicta (Subacronicta) megacephala (Fabricius,1787)** (Noctuidae) *megacephala* Fabricius,1787; *ankarensis* Hering,1933. 04 06 08 18 16 24 25 30 31 33 34 36 37 42 44 46 50 51 58 60 62 65 66 75 76
- 217) **Acronicta (Triaena) aceris (Linnaeus,1758)** (Noctuidae) *aceris* Linnaeus,1758 01 05 06 07 13 16 17 24 25 30 33 35 36 37 39 42 46 47 50 58 62 73
- 218) **Acronicta (Triaena) psi (Linnaeus,1758)** (Noctuidae) *psi* Linnaeus,1758 05 06 08 18 23 25 28 35 33 36 37 46 50 51 58 62 65 66 75 80
- 219) **Acronicta (Viminia) auricoma (Fabricius,1787)** (Noctuidae) *#auricoma* [Denis & Schiffermüller],1775; *auricoma* Fabricius,1787; *lapathi* Schrank,1801; *similis* Haworth,1809; *pepli* Hübner,[1813]; *alpina* Freyer,1858 04 08 16 28 30 36 69
- 220) **Acronicta (Viminia) euphorbiae (Denis,1785)** (Noctuidae) *#euphorbiae* [Denis & Schiffermüller],1775; *euphorbiae* Denis,1785; *montivaga* Guenée,1852; *ottomana* Draudt,1931; *garbowski* Wojtusiak & Niesiolowski,1946. 01 05 06 14 16 17 18 24 25 36 42 45 50 58 62 65 75
- 221) **Actinotia radiosa (Esper,[1804])** (Noctuidae) *radiosa* Esper,[1804]; *lyncea* Hübner,[1809] (*praeocc.*) 05 18 25 30 36 60 67
- 222) **Aedophron phlebophora Lederer,1858** (Noctuidae) *phlebophora* Lederer,1858 05 06 12 13 18 25 30 33 36 42 45 46 47 49 50 51 58 65 66 70 71
- 223) **Aedophron rhodites (Eversmann,1851)** (Noctuidae) *rhodites* Eversmann,1851; *aurorina* Herrich-Schäffer,[1852]. 05 06 18 25 36 42 50 51 58 60 62 66
- 224) **Aegle kaekeritziana (Hübner,[1799])** (Noctuidae) *kaekeritziana* Hübner,[1799]; *flava* Hübner,[1809]; *flavida* Ochsenheimer,1816. 17 23 24 33 36 58
- 225) **Aegle semicana (Esper,[1798])** (Noctuidae) *semicana* Esper,[1798]; *vespertalis* Hübner,[1813]; *mimetes* Brandt,1938. 01 03 06 13 17 19 22 23 32 33 36 40 42 46 50 51 58 66
- 226) **Agrochola (Alpichola) egorovi (O.Bang-Haas,1934)** (Noctuidae) *egorovi* O.Bang-Haas,1934 01 04 12 25 30 36 44 46 56 58 60 65 69 73
- 227) **Agrochola (Alpichola) janhillmanni Hacker & Moberg,1989** (Noctuidae) *janhillmanni* Hacker & Moberg,1989 04 08 12 13 25 30 36 49 62
- 228) **Agrochola (Alpichola) lactiflora (Draudt,1934)** (Noctuidae) *lactiflora* Draudt,1934 04 08 12 21 25 33 36 44 46 49 58 62 69 70 75
- 229) **Agrochola (Anchoscelis) helvola (Linnaeus,1758)** (Noctuidae) *helvola* Linnaeus,1758; *rufina* Linnaeus,1758; *#fulvago* Clerck,1759. 05 08 14 17 31 36 38 46
- 230) **Agrochola (Sunira) circellaris (Hufnagel,1766)** (Noctuidae) *circellaris* Hufnagel,1766 14 36 50
- 231) **Agrotis (Crassagrotis) bigramma (Esper,[1790])** (Noctuidae) *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golickei* Erschoff,1872; *huguenini* Rühl,1891. 01 03 05 06 07 08 14 18 21 25 33 36 42 46 50 58 59 61 62 63 65 70
- 232) **Agrotis (s.str.) cinerea ([Denis & Schiffermüller],1775)** (Noctuidae) *cinerea* [Denis & Schiffermüller],1775; *obscura* Hübner,[1803]; *dentimaculatus* Haworth,1803; *fusca* Boisduval,[1837]; *murina* Eversmann,1848; *livonica* Teich,1886; *alpigena* Calberla,1888; *tephrina* Staudinger,1901; *eximia* Culot,1910. 04 05 06 08 16 18 36 46 50 51 58 69
- 233) **Agrotis (s.str.) clavis (Hufnagel,1766)** (Noctuidae) *clavis* Hufnagel,1766; *corticea* [Denis & Schiffermüller],1775; *clavigerus* Haworth,1803; *subfuscus* Haworth,1803; *sincerii* Freyer,1849; *transversa* Walker,[1857]; *neocomensis* Rougemont,1902. 08 18 25 28 36 39 53 61
- 234) **Agrotis (s.str.) desertorum Boisduval,1840** (Noctuidae) *desertorum* Boisduval,1840 04 06 18 24 25 30 33 36 42 46 50 51 58 60 62 65 69 70 71
- 235) **Agrotis (s.str.) exclamationis (Linnaeus,1758)** (Noctuidae) *exclamationis* Linnaeus,1758; *clavus* Hufnagel,1766; *murina* Goetz,1781 *nec* Hufnagel,1766; *bimaculata* Geoffroy,1785; *picea* Haworth,1809; *plaga* Stephens,1835; *haruspex* Le Cerf,1924; *nigriorbis* Zerny,1934. 01 03 04 05 06 07 08 12 14 18 24 25 28 30 33 34 37 39 36 42 45 46 50 51 58 60 65 71

- 236) **Agrotis (s.str.) epsilon** (Hufnagel,1766) (Noctuidae) *epsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789. 01 03 05 06 07 08 11 14 16 18 20 25 27 29 32 33 35 36 37 42 46 47 50 51 58 62 63 65 69 71
- 237) **Agrotis (s.str.) segetum** ([Denis & Schiffermüller],1775) (Noctuidae) *segetum* [Denis & Schiffermüller],1775; *sordida* [Denis & Schiffermüller],1775; *undulatus* Goeze,1781 (*praeocc.*); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subatratus* Haworth,1803; *nigricornutus* Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *sicula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversus* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificatus* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886. 01 05 06 07 11 13 15 16 18 24 25 27 30 31 32 33 35 36 38 42 46 50 51 58 60 63 65 71
- 238) **Allophyes metaxys** Boursin,1953 (Noctuidae) *metaxys* Boursin,1953 08 25 31 36 46 58
- 239) **Ammoconia caecimacula** (Fabricius,1787) (Noctuidae) *caecimacula* Fabricius,1787 08 12 14 24 36 46 62 66 75
- 240) **Ammoconia senex** (Geyer,[1828]) (Noctuidae) *senex* Geyer,[1828]. 06 13 17 18 24 25 30 36 38 46 50 56 58 64 70
- 241) **Amphipoea oculatea** (Linnaeus,1761) (Noctuidae) *oculea* Linnaeus,1761; *nictitans* Linnaeus,1767; *chrysographa* [Denis & Schiffermüller],1775; *splendens* Borkhausen,1792; *myopa* Fabricius,1794; *cinerago* Fabricius,1798; *auricula* Donovan,1807; *erythrostigma* Haworth,1809; *struvei* Oberthür,1918. 08 25 36 37 61 65
- 242) **Amphipyra micans** Lederer,1857 (Noctuidae) *micans* Lederer,1857 01 05 06 08 24 25 30 33 36 42 46 51 58 62 65 66
- 243) **Amphipyra stix** Herrich-Schäffer,[1850] (Noctuidae) *stix* Herrich-Schäffer,[1850]; *styx* Staudinger,1879. 01 05 08 15 25 30 32 36 42 50 62 65
- 244) **Anaplectoides prasina** (Goeze,1781) (Noctuidae) *prasina* [Denis & Schiffermüller],1775; *hebrida* [Denis & Schiffermüller],1775; *prasina* Goeze,1781; *egregia* Esper,[1787]; *jaspidea* Borkhausen,1792 *nec De Vill.*,1789; *mixta* Haworth,1809 *nec Fabr.*,1787; *herbacea* Guenée,1852; *albicula* Hormuzaki,1894 05 08 14 28 36 50 53 61 69
- 245) **Antarchaea conicephala** (Staudinger,1870) (Noctuidae) *conicephala* Staudinger,1870; *funicollis* Rogenhofer,1873. 05 08 33 36
- 246) **Antholopha gloriosa** (Staudinger,1892) (Noctuidae) *gloriosa* Staudinger,1892; *intradeleta* Osthelder,1933; *extradeleta* Osthelder,1933; *grisea* Osthelder,1933. 01 06 25 27 31 36 44 46 47 58 60 62 63 64
- 247) **Antitype chi** (Linnaeus,1758) (Noctuidae) *chi* Linnaeus,1758; *olivacea* Stephens,1829; *marsicana* Dannehl,1929. 06 12 36 42 46 66 70
- 248) **Antitype jonis** (Lederer,1865) (Noctuidae) *jonis* Lederer,1865; *amasina* Staudinger,1901. 04 05 08 25 30 33 36 38 44 45 46 50 58 62 65 69 70
- 249) **Apamea crenata** (Hufnagel,1766) (Noctuidae) *crenata* Hufnagel,1766; *rurea* Fabricius,1775; *alopeurus* Esper,[1788]; *combusta* Hübner,[1808]; *hirticornus* Haworth,1812. 04 14 18 36 43 53 65 69 75
- 250) **Apamea ferrago** (Eversmann,1837) (Noctuidae) *ferrago* Eversmann,1837 04 08 24 25 36 38 46 50 51 58 60 61 65 75 76
- 251) **Apamea furva** ([Denis & Schiffermüller],1775) (Noctuidae) *furva* [Denis & Schiffermüller],1775 04 06 08 18 24 25 28 33 36 46 51 53 58 60 61 65
- 252) **Apamea illyria** Freyer,1846 (Noctuidae) *illyria* Freyer,1846 06 08 18 28 36 60 75
- 253) **Apamea lateritia** (Hufnagel,1766) (Noctuidae) *lateritia* Hufnagel,1766; *molochina* Hübner,[1803]. 04 08 16 24 25 30 36 51 58 61 65 75
- 254) **Apamea leucodon** (Eversmann,1837) (Noctuidae) *leucodon* Eversmann,1837 04 06 25 33 36 42 44 46 50 51 58 60 65
- 255) **Apamea lithoxylaea** (Fabricius,1787) (Noctuidae) *lithoxylaea* [Denis & Schiffermüller],1775; *lithoxylaea* Fabricius,1787. 01 04 05 06 07 08 16 20 25 30 36
- 256) **Apamea monoglypha** (Hufnagel,1766) (Noctuidae) *polyodon* Linnaeus,1761 *nec Cl.*,1759; *monoglypha* Hufnagel,1766. 01 03 04 05 06 08 17 18 25 28 29 30 32 33 34 35 36 37 39 42 43 45 58 60 61 66 75
- 257) **Apamea platinea** (Treitschke,1825) (Noctuidae) *platinea* Treitschke,1825; *grisescens* Touleschkov,1951 *nec* Staudinger,1889; *touleschkoffi* Koçak,1980. 08 24 25 30 33 36 38 42 50 51 58 60 65 70 76
- 258) **Apamea remissa** (Hübner,[1809]) (Noctuidae) *remissa* Hübner,[1809] 04 06 24 25 36 58 60 65 69 75
- 259) **Apamea sublustris** (Esper,[1788]) (Noctuidae) *sublustris* Esper,[1788] 04 08 25 36 50
- 260) **Apamea syriaca** (Osthelder,1933) (Noctuidae) *syriaca* Osthelder,1933; *albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969. 01 04 05 06 08 11 12 13 16 17 18 24 25 28 30 31 32 33 34 35 36 37 42 45 46 49 50 51 58 60 62 65 73 80
- 261) **Apopestes phantasma** (Eversmann,1843) (Noctuidae) *phantasma* Eversmann,1843; *centralasiae* Warren,1913. 05 30 36 56
- 262) **Arenostola unicolor** W.Warren,1914 (Noctuidae) *unicolor* W.Warren,1914 01 19 36 46 50 58 60 65
- 263) **Armada clio** (Staudinger,1884) (Noctuidae) *clio* Staudinger,1884 36
- 264) **Athetis pallustris** (Hübner,[1808]) (Noctuidae) *pallustris* Hübner,[1808] 04 28 36 75
- 265) **Autographa jota** (Linnaeus,1758) (Noctuidae) *jota* Linnaeus,1758 06 08 14 18 25 36 39 50 52 53 75
- 266) **Autophila (Cheirophanes) ligaminosa** (Eversmann,1851) (Noctuidae) *ligaminosa* Eversmann,1851; *caucasica* Herz,1904. 05 06 08 13 14 17 18 25 33 36 42 46 50 65 73
- 267) **Autophila (s.str.) asiatica** (Staudinger,1888) (Noctuidae) *asiatica* Staudinger,1888 01 25 30 33 35 36 38 49 50 58
- 268) **Basistriga flammata** ([Denis & Schiffermüller],1775) (Noctuidae) *flammata* [Denis & Schiffermüller],1775; *bimaculata* Milliere,1885. 01 04 06 07 21 24 25 28 30 32 33 36 38 39 43 44 45 46 47 49 50 51 53 58 60 61 63 65 66 70
- 269) **Behounekia freyeri** (Frivaldsky,1835) (Noctuidae) *freyeri* Frivaldsky,1835; *senescens* Eversmann,1856. 01 05 06 13 18 25 30 32 35 36 38 42 46 47 50 51 62 65
- 270) **Calamia staudingeri** Warnecke,1941 (Noctuidae) *staudingeri* Warnecke,1941 04 25 30 36 38 51 58 65
- 271) **Callistege mi** (Clerck,1759) (Noctuidae) *mi* Clerck,1759; *graminis* Hufnagel,1766; *albolineata* Goeze,1781; *litterata* Cyrilli,1787 *nec Sc.*,1763 16 36 60
- 272) **Calophasia lunula** (Hufnagel,1766) (Noctuidae) *lunula* Hufnagel,1766; *linariae* [Denis & Schiffermüller],1775. 01 04 05 06 08 14 18 24 25 30 33 36 42 49 50 51 58 65
- 273) **Calophasia opalina** (Esper,[1796]) (Noctuidae) *casta* Borkhausen,1793 *nec* Pall.,1767; *opalina* Esper,[1796]; *biroi* Aigner,1901; *naruenensis* Spuler,1910; *castior* Sidauder,1923. 03 05 06 16 18 24 36 50 51 58 65
- 274) **Calyptra thalictri** (Borkhausen,1790) (Noctuidae) *capucina* Esper,1789 *nec* Linn.,1767; *thalictri* Borkhausen,1790; *sodalis* Butler,1878; *thalactri* Moore,1882; *intensiva* W.Warren,1914; *capuzina* Dannehl,1925; *centralitalica* Dannehl,1925; *pallida* Schwingenschuss,1938 08 22 36
- 275) **Caradrina (Boursinidrina) rjabovi** (Boursin,1936) (Noctuidae) *rjabovi* Boursin,1936; *pseudovicina* Boursin,1939 04 13 25 36 44 46 58 62 65
- 276) **Caradrina (Eremodrina) belucha** (Swinhoe,1885) (Noctuidae) *belucha* Swinhoe,1885; *conditorana* Pinker,1980 36 46 58
- 277) **Caradrina (Eremodrina) inumbrata** (Staudinger,1900) (Noctuidae) *inumbrata* Staudinger,1900; *inumbratella* Pinker,1980 01 04 08 25 36 44 46 58 62 65

- 278) *Caradrina (Eremodrina) pertinax* (Staudinger,1879) (Noctuidae) *pertinax* Staudinger,1879; *argentea* Caradja,1930. 04 05
06 08 12 25 29 30 33 36 38 42 44 50 58 61 66 75
- 279) *Caradrina (Eremodrina) salzi* (Boursin,1936) (Noctuidae) *salzi* Boursin,1936 04 13 21 23 24 30 36 44 51 62 70
- 280) *Caradrina (Eremodrina) vicina* (Staudinger,1870) (Noctuidae) *vicina* Staudinger,1870; *perspicua* W.Warren,1911 01 04 06
08 25 33 36 42 46 50 51 58
- 281) *Caradrina (Paradrina) selini* (Boisduval,1840) (Noctuidae) *selini* Boisduval,1840; *selinoides* Bellier,1862; *milleri* Schultz,1862;
jurassica Riggenbach-Stehlin,1876; *minor* Staudinger,1897; *#puengeleri* Draudt,1934; *telekii* Dioszeghy,[1935] 06 07 16 36
64
- 282) *Caradrina (Platyperigea) albina* (Eversmann,1848) (Noctuidae) *albina* Eversmann,1848; *congesta* Lederer,1853; *tenera*
A.Bang-Haas,1912 01 04 06 07 17 18 24 25 30 33 36 38 42 50 51 58 62 65 66
- 283) *Caradrina (Platyperigea) montana* (Bremer,1861) (Noctuidae) *montana* Bremer,1861; *apatetica* Püngeler,1914; *sachalinensis*
Matsumura,1925; *melancholica* Draudt,1934; *kaolina* Bryk,1949 04 25 36 42 50 51 58 65
- 284) *Caradrina (Platyperigea) terreia* (Freyer,[1840]) (Noctuidae) *terreia* Freyer,[1840]; *ustirena* Boisduval,1840 03 04 06 08 12
13 18 23 25 30 36 42 50 51 65 66
- 285) *Catocala (s.str.) neonympha* (Esper,[1805]) (Noctuidae) *neonympha* Esper,[1805] 05 16 19 23 30 36 58 60 62 65
- 286) *Chazaria incarnata* (Freyer,1838) (Noctuidae) *incarnata* Freyer,1838; *boisduvali* Boisduval,1840. 01 05 06 07 18 20 23 24
25 33 34 36 38 39 42 44 45 46 50 51 58 63 65 71
- 287) *Chersotis alpestris* (Boisduval,[1837]) (Noctuidae) *alpestris* Boisduval,[1837] 04 12 25 29 36 42 51 58 65
- 288) *Chersotis anatolica* (Draudt,1936) (Noctuidae) *anatolica* Draudt,1936; *elegantula* Boursin,1945. 04 24 25 36 42 50 51 58 60
65
- 289) *Chersotis andereggii* (Boisduval,[1837]) (Noctuidae) *andereggii* Boisduval,[1837] 04 08 25 36
- 290) *Chersotis capnistis* (Lederer,1872) (Noctuidae) *capnistis* Lederer,1872; *neara* Püngeler,1902. 01 03 06 08 18 25 29 32 36 38
42 43 46 50 51 58 60 65 66
- 291) *Chersotis fimbriola* (Esper,[1798]) (Noctuidae) *fimbriola* Esper,[1798] 01 03 04 05 06 08 12 18 24 25 29 30 36 38 42 44 46
50 51 58 60 65 66 69 70
- 292) *Chersotis gratissima* (Corti,1932) (Noctuidae) *gratissima* Corti,1932 01 04 06 12 23 25 30 36 42 44 46 51 60 65 69 70 75
- 293) *Chersotis juvenis* (Staudinger,1901) (Noctuidae) *caelebs* Staudinger,1900 nec Stgr.,1896; *juvenis* Staudinger,1901; *clarivenosa*
Draudt,1936. 02 04 06 13 24 25 30 36 38 42 46 50 51 58 60 65 66 69
- 294) *Chersotis laeta* (Rebel,1904) (Noctuidae) *laeta* Rebel,1904 01 03 04 05 08 14 18 24 25 28 29 30 32 33 36 42 44 46 49 50 51
58 60 65 66 69 70
- 295) *Chersotis margaritacea* (Villers,1789) (Noctuidae) *margaritacea* Villers,1789; *i-intactum* Hübner,[1803]; *#abruzzensis* Corti &
Draudt,1933; *espinensis* Calle,1982 01 06 08 16 18 25 36 42 46 50 61
- 296) *Chersotis multangula* (Hübner,[1803]) (Noctuidae) *multangula* Hübner,[1803]; *dissoluta* Staudinger,1900; *travunia*
Schawerda,1912; *stojanovi* Touleschkov,1951. 03 04 05 08 14 18 25 30 32 33 36 42 46 50 51 58 60 66
- 297) *Chersotis rectangula* (Fabricius,1787) (Noctuidae) *rectangula* Fabricius,1787. 06 07 08 11 12 18 24 25 26 36 38 42 43 50 49
60 66 75
- 298) *Chloantha hypericii* (Fabricius,1787) (Noctuidae) *#hyperici* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787 01 04
05 06 07 08 12 15 16 17 18 24 25 28 32 33 35 36 42 46 50 51 56 58 60 61 62 65 69
- 299) *Cleoceris scoriacea* (Esper,[1789]) (Noctuidae) *scoriacea* Esper,[1789]; *caprae* Hübner,[1803]. 01 05 06 12 25 33 35 36 44
49 70
- 300) *Conistra (s.str.) asiatica* (Pinker,1980) (Noctuidae) *asiatica* Pinker,1980 06 24 36 58 70
- 301) *Conistra (s.str.) ragusae* (Failla-Tedaldi,1890) (Noctuidae) *ragusae* Failla-Tedaldi,1890 06 13 24 36
- 302) *Craniophora ligustri* (Fabricius,1787) (Noctuidae) *#ligustri* [Denis & Schiffermüller],1775; *ligustri* Fabricius,1787. 14 16 34
36 52 53 55
- 303) *Cryphia (Bryoleuca) petricolor* (Lederer,1870) (Noctuidae) *petricolor* Lederer,1870; *iranica* Schwingenschuss,1937; *#solimana*
Draudt,1937. 04 08 18 25 29 36 58 75
- 304) *Cryphia (Bryoleuca) raptricula* ([Denis & Schiffermüller],1775) (Noctuidae) *raptricula* [Denis & Schiffermüller],1775; *divisa*
Esper,[1791]; *#striata* Staudinger,1879; *#persica* Strand,1915; *cretica* Reisser,1962. 01 03 05 06 07 08 12 19 24 25 28 30 32
33 36 39 42 46 49 50 51 56 58 62 65 66 70 73
- 305) *Cryphia (Bryoleuca) rectilinea* (W.Warren,1909) (Noctuidae) *rectilinea* W.Warren,1909; *mediochracea* Bytinski-Salz,1936;
insulicola Reisser,1962. 01 05 08 13 23 24 36 42 46 69
- 306) *Cryphia (Bryophila) maeonis* (Lederer,1865) (Noctuidae) *maeonis* Lederer,1865; *rubellina* Staudinger,1900; *sabulicolor* De
Lattin,1950. 01 04 05 06 08 16 18 24 25 27 30 35 36 42 44 45 46 50 51 58 60 61 62 65 66
- 307) *Cucullia (s.str.) argentina* (Fabricius,1787) (Noctuidae) *argentina* Fabricius,1787; *achalina* Püngeler,1900; *grisescens*
Wagner,1931 nec *Leech*,1900; *anatoliensis* Koçak,1980. 05 06 18 25 27 30 36 38 42 50 58 65 71
- 308) *Cucullia (s.str.) asteris* ([Denis & Schiffermüller],1775) (Noctuidae) *#asteris* [Denis & Schiffermüller],1775 36
- 309) *Cucullia (s.str.) behouneki* Hacker & Ronkay,1988 (Noctuidae) *behouneki* Hacker & Ronkay,1988 04 08 24 25 28 30 36 58
60 65 66 75
- 310) *Cucullia (s.str.) boryphora* Fischer v. Waldheim,1840 (Noctuidae) *boryphora* Fischer & Waldheim,1840 02 36 42 50
- 311) *Cucullia (s.str.) cineracea* Freyer,1841 (Noctuidae) *cineracea* Freyer,1841 04 36
- 312) *Cucullia (s.str.) gnaphalii* (Hübner,[1813]) (Noctuidae) *gnaphalii* Hübner,[1813]; *occidentalis* Boursin,1945. 25 36 69 75
- 313) *Cucullia (s.str.) improba* Christoph,1885 (Noctuidae) *improba* Christoph,1885; *leptographa* Reisser,1958 36
- 314) *Cucullia (s.str.) lucifuga* (Hübner,[1803]) (Noctuidae) *lucifuga* Hübner,[1803]. 25 36 42 69 75
- 315) *Cucullia (s.str.) ronkayi* Hacker & Pinker,1987 (Noctuidae) *ronkayi* Hacker & Pinker,1987 04 25 36 49 65
- 316) *Cucullia (s.str.) santonici* (Hübner,[1813]) (Noctuidae) *santonici* Hübner,[1813] 04 06 18 25 36 42 58
- 317) *Cucullia (s.str.) umbratica* (Linnaeus,1758) (Noctuidae) *umbratica* Linnaeus,1758; *sonchi* Heinemann,1859. 08 16 18 25 36
42 46 58 60 65 75
- 318) *Cyrebis anachoreta* (Herrich-Schäffer,[1851]) (Noctuidae) *anachoreta* Herrich-Schäffer,[1851]; *niesiolowskii* Koçak,1987
05 08 25 36 51 53 65 69
- 319) *Diarsia mendica* (Fabricius,1775) (Noctuidae) *mendica* Fabricius,1775; *festiva* [Denis & Schiffermüller],1775; *primulae*
Esper,[1788]; *subrufa* Haworth,1809; *conflua* Treitschke,1827; *dannehli* Corti & Draudt,1933. 04 08 14 16 24 36 37 43 58 60
61 62 69 75
- 320) *Dichagyris (Grisyigoga) candelisequa* ([Denis & Schiffermüller],1775) (Noctuidae) *candelisequa* [Denis &
Schiffermüller],1775; *sagittifera* Hübner,[1813]; *piemonticola* Schwingenschuss,1954; *zapateri* Schwingenschuss,1962. 01 04
05 06 12 16 23 25 30 32 33 36 38 40 42 44 46 50 51 58 61 62 63 65
- 321) *Dichagyris (Yigoga) celsicola* (Bellier,1858) (Noctuidae) *celsicola* Bellier,1858 04 08 12 13 23 25 30 36 46 50 58 65
- 322) *Dichagyris (Yigoga) eureteocles* (Boursin,1940) (Noctuidae) *eureteocles* Boursin,1940 06 36 58

- 323) *Dichagyris (Yigoga) flavina* (Herrich-Schäffer,[1852]) (Noctuidae) *flavina* Herrich-Schäffer,[1852]; *ochrina* Staudinger,1898; *pretiosa* Caradja,1931. 01 03 04 05 07 18 22 23 25 30 32 36 38 39 40 42 44 46 50 51 58 60 62 63 65 66
- 324) *Dichagyris (Yigoga) forcipula* ([Denis & Schiffermüller],1775) (Noctuidae) *forcipula* [Denis & Schiffermüller],1775; *denticulosa* Esper,[1794]; *bornicensis* Fuchs,1884; *helladica* Rebel,1905; *samnitica* Dannehl,1933; *romanoi* Berio,1980. 01 03 05 06 07 08 11 12 18 23 24 25 29 30 32 33 36 42 43 46 49 50 51 58 60 65 66 69
- 325) *Dichagyris (Yigoga) gracilis* (F.Wagner,1929) (Noctuidae) *gracilis* F.Wagner,1929 01 03 04 05 06 07 08 12 18 24 25 29 30 36 38 42 50 51 58 60 63 65 69
- 326) *Dichagyris (Yigoga) nachadira* (Brandt,1941) (Noctuidae) *nachadira* Brandt,1941 06 25 36 38 42 50 58 65
- 327) *Dichagyris (Yigoga) orientis* (Alpheraky,1882) (Noctuidae) *orientis* Alpheraky,1882; *improcera* Staudinger,1888; *imitata* Corti & Draudt,1933. 01 04 07 36 38 42 50 51 58 62 65
- 328) *Dichagyris (Yigoga) serraticornis* (Staudinger,1898) (Noctuidae) *serraticornis* Staudinger,1898 23 36 58 63
- 329) *Dichagyris (Yigoga) signifera* ([Denis & Schiffermüller],1775) (Noctuidae) *#signifera* [Denis & Schiffermüller],1775 01 03 05 06 07 08 12 14 24 25 30 32 33 36 42 43 46 49 50 51 58 66
- 330) *Dichagyris (Yigoga) sincera* (De Freina & Hacker,1985) (Noctuidae) *sincera* De Freina & Hacker,1985. 04 08 12 13 23 25 30 36 46 50 58 65 73
- 331) *Dichagyris (s.str.) armeniaca* Kozhantshikov,1929 (Noctuidae) *armeniaca* Kozhantshikov,1929; *assimilata* Kozhantshikov,1929; *striatus* Kozhantshikov,1929. 04 06 25 30 36 50 66
- 332) *Dichagyris (s.str.) elbursica* (Draudt,1937) (Noctuidae) *elbursica* Draudt,1937 30 36 65
- 333) *Dichagyris (s.str.) forficula* (Eversmann,1851) (Noctuidae) *forficula* Eversmann,1851 01 03 04 07 08 12 18 24 25 29 28 30 33 36 38 42 49 50 51 58 60 65
- 334) *Dichagyris (s.str.) renigera* (Hübner,[1808]) (Noctuidae) *renigera* Hübner,[1808]; *dumosa* Donzel,1837; *caucasica* Staudinger,1877; *funebria* Staudinger,1892; *nigrescens* Kitt,1925 *nec* Höfner,1888; *funestissima* Bubacek,1926; *argentina* Caradja,1930. 04 05 06 08 18 25 30 36 42 50 51 58 62 65 69
- 335) *Dichagyris (s.str.) squalorum* (Eversmann,1856) (Noctuidae) *squalorum* Eversmann,1856 01 02 04 12 23 24 25 30 36 44 50 51 58 65 69
- 336) *Dichagyris (s.str.) terminicincta* (Corti & Draudt,1933) (Noctuidae) *terminicincta* Corti & Draudt,1933; *maraschi* Corti & Draudt,1933. 02 04 12 13 25 30 36 44 46 51 58 65 69
- 337) *Dichagyris (s.str.) vallesiaca* (Boisduval,[1837]) (Noctuidae) *vallesiaca* Boisduval,[1837] 25 36 50 58 65 66
- 338) *Drasteria flexuosa* (Ménétriés,1848) (Noctuidae) *flexuosa* Ménétriés,1848; *singularis* Kollar,[1849]; *inepta* Butler,1881. 04 05 21 23 36 63
- 339) *Drasteria herzi* (Alpheraky,1895) (Noctuidae) *herzi* Alpheraky,1895 06 36 51
- 340) *Drasteria rada* (Boisduval,1848) (Noctuidae) *rada* Boisduval,1848; *roda* Herrich-Schäffer,1851. 36 63
- 341) *Drasteria saisani* (Staudinger,1882) (Noctuidae) *saisani* Staudinger,1882; *clara* Staudinger,1895; *#saisani* John,1910. 01 04 06 08 12 25 30 33 36 42 44 47 50 51 58 65 66
- 342) *Egira tibiore Hreblay,1994* (Noctuidae) *tibiore Hreblay,1994* 03 06 07 17 33 34 35 36 42 43 46 58
- 343) *Emmelia trabealis* (Scopoli,1763) (Noctuidae) *trabealis* Scopoli,1763; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goeze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865 01 04 05 06 07 08 11 16 18 30 32 33 36 41 42 46 50 56 58 59 65 66 71
- 344) *Enargia paleacea* (Esper,[1788]) (Noctuidae) *paleacea* Esper,[1788]. 36 75
- 345) *Episema amasina* (Hampson,1906) (Noctuidae) *amasina* Hampson,1906 05 06 18 42 25 36 47 49 50 58 60 65
- 346) *Episema didymogramma* (Boursin,1955) (Noctuidae) *didymogramma* Boursin,1955 04 21 25 36 46 58 63
- 347) *Episema korsakovi* (Christoph,1885) (Noctuidae) *korsakovi* Christoph,1885; *paenulata* Christoph,1885. 01 06 08 14 17 23 36 42 44 45 46 50 51 58 65
- 348) *Episema korsakovi levantina* Hacker,2001 (Noctuidae) *levantina* Hacker,2001 01 06 08 14 17 23 36 42 44 45 46 50 51 58 65
- 349) *Episema lederi* Christoph,1885 (Noctuidae) *lederi* Christoph,1885; *sareptana* Alpheraky,1897; *#lederi* Wiltshire,1937. 04 05 06 21 23 25 36 38 42 44 46 47 49 50 56 58 60 62 63 65
- 350) *Eremobia asiatica* Draudt,1936 (Noctuidae) *asiatica* Draudt,1936 03 05 06 17 25 30 32 36 42 51 58 65
- 351) *Eriopygodes imbecilla* (Fabricius,1794) (Noctuidae) *imbecilla* Fabricius,1794; *alpina* Hübner,1793; *aliena* Hübner,[1808]; *disparilis* Ochsenheimer,1816. 04 25 36 75
- 352) *Eublemma (albida-gr.) hansa* (Herrich-Schäffer,[1851]) (Noctuidae) *hansa* Herrich-Schäffer,[1851] 01 04 23 30 36 46 50 65 76
- 353) *Eublemma (albida-gr.) straminea* (Staudinger,1892) (Noctuidae) *straminea* Staudinger,1892; *transmittens* Christoph,1893; *maraschensis* Osthelder,1933. 01 04 23 30 36 44 46 50 58 62 76
- 354) *Eublemma (candidana-gr.) wagneri* (Herrich-Schäffer,1851) (Noctuidae) *wagneri* Herrich-Schäffer,1851 01 04 08 13 23 24 25 29 30 36 40 42 44 46 50 58 60 66 69 75
- 355) *Eublemma (rosina-gr.) parallela* (Freyer,1842) (Noctuidae) *parallela* Freyer,1842; *concinula* Herrich-Schäffer,1851; *#densata* Warren,1912. 01 05 08 25 29 30 36 38 46 50 51 58 60 65 66
- 356) *Eublemma pannonica* (Freyer,1840) (Noctuidae) *panonica* Freyer,1840; *kindermannii* Boisduval,1840. 05 07 08 13 23 25 36 42 46 58
- 357) *Euchalcia (s.str.) armeniae* Dufay,1966 (Noctuidae) *armeniae* Dufay,1966; *#armeninae* Hacker,1986. 25 36 61 65 69 75
- 358) *Euchalcia (s.str.) emichi* (Rogenhofer,1873) (Noctuidae) *emichi* Rogenhofer,1873 01 08 18 19 25 30 31 36 38 42 46 49 50 51 58 62 65 66
- 359) *Euchalcia (s.str.) taurica* (Osthelder,1933) (Noctuidae) *taurica* Osthelder,1933 04 05 06 12 18 25 30 36 42 46 50 51 58 60 65 66
- 360) *Euchalcia (s.str.) viridis* (Staudinger,1901) (Noctuidae) *viridis* Staudinger,1901 01 04 06 12 13 24 25 30 36 42 49 58 65 69 70 75
- 361) *Eugnorisma (s.str.) eminens* (Lederer,1855) (Noctuidae) *eminens* Lederer,1855 25 36 65
- 362) *Eugnorisma (s.str.) insignata* (Lederer,1853) (Noctuidae) *insignata* Lederer,1853; *intermedia* Eversmann,1855. 01 25 30 36 42 46 58 65
- 363) *Eugnorisma (s.str.) leuconeura* (Hampson,1918) (Noctuidae) *leuconeura* Hampson,1918; *fuliginosa* Draudt,1936. 12 25 36 50 65
- 364) *Eulocastra diaphora* (Staudinger,1879) (Noctuidae) *diaphora* Staudinger,1879; *triangularis* Warren,1888; *atribasalis* Hampson,1896; *laticincta* Staudinger,1898. 05 06 08 09 18 24 25 30 33 36 42 47 50 51 58 65 69
- 365) *Eurois occulta* (Linnaeus,1758) (Noctuidae) *occulta* Linnaeus,1758; *implicata* Lefebvre,1836; *extricata* Zetterstedt,[1839]; *prolixa* Zetterstedt,[1839]; *puncticosa* Zetterstedt,[1839]; *roseovirgata* Dannehl,1929; *fumea* Corti & Draudt,1933; *tibetica* Corti & Draudt,1933 08 25 36

- 366) **Euxoa (Chorisagrotis) adumbrata (Eversmann,1842)** (Noctuidae) *adumbrata* Eversmann,1842; *polygonides* Staudinger,1874; *variegata* Wagner,1913; *pamiricola* Kozhantshikov,1937. 06 36 58 70
- 367) **Euxoa (Orosagrotis) difficillima (Draudt,1937)** (Noctuidae) *difficillima* Draudt,1937 04 12 25 30 36 38 51 63 65
- 368) **Euxoa (s.str.) anatolica Draudt,1936** (Noctuidae) *anatolica* Draudt,1936. 07 36 42 46 58
- 369) **Euxoa (s.str.) aquilina ([Denis & Schiffermüller],1775)** (Noctuidae) *aquilina* [Denis & Schiffermüller],1775; *fictilis* Hübner,[1813]; *unicolor* Hübner,[1813]; *petrina* Mayer,1937. 04 05 06 08 12 14 18 24 25 30 32 36 40 42 46 50 51 65 66 75
- 370) **Euxoa (s.str.) birivia ([Denis & Schiffermüller],1775)** (Noctuidae) *birivia* [Denis & Schiffermüller],1775; *honnoratina* Donzel,1837; *cuprina* Staudinger,1900; *sudeticola* Skala,1929; *caucasica* Spuler,1908; *flavsignata* Corti,1932. 04 06 08 18 24 25 28 30 36 44 46 53 58
- 371) **Euxoa (s.str.) conspicua (Hübner,[1824])** (Noctuidae) *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *abditia* Joannis,1891; *#indistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931. 01 03 04 05 06 18 23 24 25 30 33 36 38 42 44 45 46 50 51 58 60 62 65 66 70 71
- 372) **Euxoa (s.str.) cos (Hübner,[1824])** (Noctuidae) *cos* Hübner,[1824]; *tephra* Boisduval,1840; *nagyagensis* Freyer,1845; *vacillans* Herrich-Schäffer,[1850]; *millierei* Staudinger,1870; *cycladum* Staudinger,1871; *aphe* Mabilie,1885; *crimaea* A.Bang-Haas,1906; *mesopotamica* A.Bang-Haas,1912; *rubra* Corti,1933. 01 05 06 08 14 18 25 27 36 42 50 51 58 62 65 66 71
- 373) **Euxoa (s.str.) distinguenda (Lederer,1857)** (Noctuidae) *distinguenda* Lederer,1857. 01 06 08 18 24 25 36 42 46 50 58 60 65 70 71
- 374) **Euxoa (s.str.) homicida (Staudinger,1900)** (Noctuidae) *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999. 04 05 06 07 18 24 25 29 30 32 36 42 44 46 50 51 58 60 62 65 66 71
- 375) **Euxoa (s.str.) nigricans (Linnaeus,1761)** (Noctuidae) *nigricans* Linnaeus,1761; *fumosa* [Denis & Schiffermüller],1775; *rubricans* Esper,[1788]; *dubia* Haworth,1809; *vilis*, *fuliginea* Hübner,[1813]; *carbonea* Hübner,[1823]; *ursina* Godart,1825; *rustica* Eversmann,1842; *oppidicola* Krulikowsky,1907. 03 05 08 12 14 18 25 31 36 42 50 51 58 65 71
- 376) **Euxoa (s.str.) nigrofusca (Esper,[1788])** (Noctuidae) *tritici sensu auct. nec* Linn.,1761; *nigrofusca* Esper,[1788]. 01 04 05 18 25 36 42 50 58 60
- 377) **Euxoa (s.str.) rubrior Pinker,1980** (Noctuidae) *rubrior* Pinker,1980; *kansui* Kornoşor,1989; *oezeri* Kornoşor,1989; *loedlii* Kornoşor,1989 01 21 36 58
- 378) **Euxoa (s.str.) scurrilis Draudt,1937** (Noctuidae) *scurrilis* Draudt,1937 01 12 24 25 30 36 42 50 51 58 65
- 379) **Gortyna cervago Eversmann,1844** (Noctuidae) *cervago* Eversmann,1844; *#argillago* Draudt,1936. 04 06 25 36 44 58 62 65 69
- 380) **Gortyna osmana Hacker & Kuhna,1986** (Noctuidae) *osmana* Hacker & Kuhna,1986 04 13 25 36 62 65 75
- 381) **Hada plebeja (Linnaeus,1761)** (Noctuidae) *plebeja* Linnaeus,1761; *nana* Hufnagel,1766; *dentina* [Denis & Schiff.],1775; *leucostigma* Hw.,1809; *odontides* Bsd.,1829; *latenai* Pierret,1837; *hilaris* Zetterstedt,[1839]; *reducta* Rbl. & Zerny,[1932]; *littoralis*, *gredensis*, *nevadensis*, *hawelkae* Schawerda,1938. 06 08 16 18 25 36 38 42 49 50 60 75
- 382) **Hadena (Anepia) musculina (Staudinger,1892)** (Noctuidae) *musculina* Staudinger,1892; *mayeri* Wagner,1931. 04 12 25 30 36 42 44 46 50 51 58 60 73
- 383) **Hadena (Anepia) perplexa ([Denis & Schiffermüller],1775)** (Noctuidae) *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] *nec* Cr.,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]. 01 04 05 06 07 11 14 16 18 20 24 25 29 30 32 33 35 36 42 46 47 48 49 50 51 58 60 63 65 75
- 384) **Hadena (Anepia) syriaca (Osthelder,1933)** (Noctuidae) *syriaca* Osthelder,1933; *osthelderi* Draudt,1933. 01 02 04 05 06 08 14 18 24 25 27 30 32 36 42 46 47 50 51 58 65 66
- 385) **Hadena (Enterpia) laudeti (Boisduval,1840)** (Noctuidae) *laudeti* Boisduval,1840 01 04 05 30 33 35 36 42 44 46 50 51 58 60 63 65 70
- 386) **Hadena (Enterpia) roseocandida Hacker,1996** (Noctuidae) *roseocandida* Hacker,1996 01 04 06 12 22 23 25 30 36 42 46 50 58
- 387) **Hadena (Maschukia) pumila (Staudinger,1879)** (Noctuidae) *pumila* Staudinger,1879 01 03 05 06 08 18 23 24 25 30 32 33 36 38 42 44 46 47 49 50 51 58 60 62 65
- 388) **Hadena (Pinkercola) tephroleuca (Boisduval,1833)** (Noctuidae) *tephroleuca* Boisduval,1833 04 06 13 18 20 24 25 28 30 32 33 36 38 42 46 48 49 50 51 58 60 65 66
- 389) **Hadena (s.str.(Albimaculia)) gueneei (Staudinger,1901)** (Noctuidae) *gueneei* Staudinger,1901; *guenei* Hampson,1905 01 03 04 06 08 12 16 18 24 25 30 31 33 36 42 46 47 50 58 65 66 71 80
- 390) **Hadena (s.str.(Anatolidena)) staudingeri (Wagner,1931)** (Noctuidae) *staudingeri* Wagner,1931 06 08 18 24 25 30 36 40 42 50 51 58 65 66
- 391) **Hadena (s.str.(Clarhadena)) drenowski (Rebel,1930)** (Noctuidae) *drenowski* Rebel,1930. 01 04 08 12 25 30 33 36 40 42 50 51 58
- 392) **Hadena (s.str.(Dianthoecia)) impressa (Esper,[1790])** (Noctuidae) *#capsincola* [Denis & Schiffermüller],1775; *impressa* Esper,[1790]. 04 05 06 08 18 19 25 28 30 33 36 46 50 51 58 60 65
- 393) **Hadena (s.str.(Filograna)) filograna (Esper,[1788])** (Noctuidae) *filograna* Esper,[1788]; *filigrama* auct.; *polymita* Hübner,[1803]; *xanthocyanea* Hübner,[1819]; *flavivibica* Hübner,[1821]. 05 06 08 25 33 36 50 51 60 65
- 394) **Hadena (s.str.(Hadenobilis)) albertii Hacker,1996** (Noctuidae) *albertii* Hacker,1996 04 08 24 25 29 36 58 69 75
- 395) **Hadena (s.str.(Hadenobilis)) chrysographa Hacker,1996** (Noctuidae) *chrysographa* Hacker,1996 04 08 25 29 36 65 75
- 396) **Hadena (s.str.(Hadenobilis)) germanicae Boursin,1959** (Noctuidae) *germanicae* Boursin,1959 36
- 397) **Hadena (s.str.(Hadenobilis)) melanochoa (Staudinger,1892)** (Noctuidae) *melanochoa* Staudinger,1892 01 04 05 06 08 18 24 25 28 30 36 38 42 46 50 51 58 60 65 69 75
- 398) **Hadena (s.str.(Hadenobilis)) tristis (Draudt,1934)** (Noctuidae) *tristis* Draudt,1934 04 12 25 28 30 36 38 46 50 51 53 58 60 65 75
- 399) **Hadena (s.str.(Hadenobilis)) vulcanica (Turati,1907)** (Noctuidae) *vulcanica* Turati,1907 01 03 04 06 14 18 24 25 29 30 31 36 42 46 50 51 58 60 65 69 70
- 400) **Hadena (s.str.(Luteocincta)) thecaphaga (Draudt,1937)** (Noctuidae) *thecaphaga* Draudt,1937 04 30 36 38 46 65
- 401) **Hadena (s.str.(Luteocincta)) wehrlii (Draudt,1934)** (Noctuidae) *wehrlii* Draudt,1934 08 18 24 25 29 33 36 50 58 65
- 402) **Hadena (s.str.(Magnolihadena)) magnolii (Boisduval,1828)** (Noctuidae) *magnolii* Boisduval,1828; *nummosa* Eversmann,1844. 01 04 05 06 09 14 18 24 25 29 32 33 36 42 46 49 50 51 58 65 66
- 403) **Hadena (s.str.(Miselia)) compta ([Denis & Schiffermüller],1775)** (Noctuidae) *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908. 03 04 05 06 08 13 16 18 24 25 29 30 32 36 42 46 49 50 51 58 60 62 63 65 66
- 404) **Hadena (s.str.(Montanohadena)) purpurea Hacker,1996** (Noctuidae) *purpurea* Hacker,1996 04 25 36 38 46 51 58 65 69
- 405) **Hadena (s.str.(Montanohadena)) virescens Hacker,1996** (Noctuidae) *virescens* Hacker,1996 04 06 24 25 30 33 36 50 58 60 65

- 406) **Hadena (s.str.(Zeteolyga)) confusa (Hufnagel,1766)** (Noctuidae) *confusa* Hufnagel,1766; *conspersa* [Denis & Schiffermüller],1775; *nana* Rottemburg,1776 *nec* Hufnagel,1766; *annulata* Fabricius,1781; *x-scriptum* Sowerby,1806; *fasciata* Tutt,1902; *suffusa* Tutt,1902; *intermedia* Tutt,1902. 04 06 07 08 09 13 18 25 28 30 33 36 37 46 49 50 60 65 75
- 407) **Hadena (s.str.(Zeteolyga)) pseudodealbata Hacker,1988** (Noctuidae) *pseudodealbata* Hacker,1988 04 08 25 28 36 61 69 75
- 408) **Hadula (Caloestra (Hadumendax)) mendax (Staudinger,1879)** (Noctuidae) *mendax* Staudinger,1879 01 05 06 07 13 16 18 20 24 25 27 29 30 33 36 37 38 42 46 49 50 51 58 60 65 66 70
- 409) **Hadula (Caloestra (Hadumendax)) mendica (Staudinger,[1895])** (Noctuidae) *mendica* Staudinger,[1895]. 01 02 07 13 23 24 30 32 33 36 42 46 47 49 51 58 60 63 65
- 410) **Hadula (Caloestra (Hadupugnax)) latemarginata (Wiltshire,1976)** (Noctuidae) *latemarginata* Wiltshire,1976; *baksana* Schintlmeister & Poltawski,1986. 04 23 25 28 36 58 61 65 69
- 411) **Hadula (Caloestra (Hadupugnax)) odontites (Boisduval,1829)** (Noctuidae) *odontites* Boisduval,1829; *microdon* Guenée,1852; *dalmatina* Schwingenschuss,1926; *asturica* Agenjo,1941. 06 36 58 66
- 412) **Hadula (Caloestra (Hadutrifolium)) trifolii (Hufnagel,1766)** (Noctuidae) *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infraina* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921 04 05 06 07 08 16 17 18 23 25 31 32 36 39 37 39 42 45 46 49 50 51 53 57 58 60 62 63 65
- 413) **Hadula (Caloestra (Stigmosea)) stigmosea (Christoph,1887)** (Noctuidae) *stigmosea* Christoph,1887. 06 33 35 36 38 50 58 66
- 414) **Hadula (Cardiostira) vassilini (O.Bang-Haas,1927)** (Noctuidae) *vassilini* O.Bang-Haas,1927 36 46 76
- 415) **Hadula (Ptochicestra) osmana Hacker,1998** (Noctuidae) *osmana* Hacker,1998 36 76
- 416) **Haemerestia renalis (Hübner,[1813])** (Noctuidae) *renalis* Hübner,[1813] 05 06 12 15 16 25 30 32 33 36 40 42 47 50 62 65 66
- 417) **Hecatera bicolorata (Hufnagel,1766)** (Noctuidae) *bicolorata* Hufnagel,1766; *serena* [Denis & Schiffermüller],1775; *placida* Esper,[1791]; *hieracii* Bkh.,1793; *par* Donovan,1801; *monticola* Dup.,1826; *leuconota* Eversmann,1837; *intermedia* Walker,[1858]; *obscura* Staudinger,1861. 01 04 05 06 07 08 14 18 24 25 28 29 30 33 36 46 49 50 51 58 60 63 65 66 75
- 418) **Hecatera cappa (Hübner,[1809])** (Noctuidae) *cappa* Hübner,[1809] 05 06 16 17 18 25 36 40 42 51 58 62 65
- 419) **Hecatera rhodocharis (Brandt,1938)** (Noctuidae) *rhodocharis* Brandt,1938 12 20 24 25 30 31 32 33 36 38 42 44 46 49 50 58 65
- 420) **Hecatera spinaciae (Vieweg,1790)** (Noctuidae) *dysodea* [Denis & Schiffermüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schaffer,[1851]; *innocens* Staudinger,1871; *subflava* Warren,1910. 01 04 05 06 07 14 16 18 20 24 25 32 33 36 46 50 51 58 60 62 63 65 66
- 421) **Helicoverpa armigera (Hübner,[1808])** (Noctuidae) *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972. 01 04 05 06 08 16 20 25 28 33 36 46 47 50 51 53 58 61 65 71
- 422) **Heliophobus unicolor (Alpheraky,1889)** (Noctuidae) *unicolor* Alpheraky,1889 06 07 08 14 18 24 25 28 33 36 38 42 46 49 50 51 58 60 65 75
- 423) **Heliothis maritima Graslin,1855** (Noctuidae) *maritima* Graslin,1855 06 25 36 50
- 424) **Heliothis ononis (Fabricius,1787)** (Noctuidae) *ononis* [Denis & Schiffermüller],1775; *ononis* Fabricius,1787; *ononidis* Guenée,1852. 16 36
- 425) **Heliothis peltigera ([Denis & Schiffermüller],1775)** (Noctuidae) *peltigera* [Denis & Schiffermüller],1775; *alpea* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924. 01 05 06 07 08 16 18 20 24 25 27 31 33 36 38 42 45 46 50 51 56 58 65 66 73 80
- 426) **Herminia nigricaria Osthelder,1933** (Noctuidae) *nigricaria* Osthelder,1933 01 08 13 30 36 46 56 73
- 427) **Heterophysa dumetorum (Geyer,1834)** (Noctuidae) *dumetorum* Geyer,1834 01 04 06 08 24 25 30 36 42 46 51 58 60 62 65 66 69
- 428) **Hoplodrina ambigua ([Denis & Schiffermüller],1775)** (Noctuidae) *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885 01 05 06 08 09 10 17 18 20 23 24 25 27 31 32 33 34 35 36 37 38 39 42 45 46 48 50 51 56 58 64 65 69 80
- 429) **Hoplodrina levis (Staudinger,1888)** (Noctuidae) *levis* Staudinger,1888 01 06 25 30 36 51 58 65
- 430) **Hoplodrina pfeifferi (Boursin,1932)** (Noctuidae) *pfeifferi* Boursin,1932. 08 13 18 23 25 30 32 36 42 50 51 58 62 65
- 431) **Hoplodrina superstes (Ochsenheimer,1816)** (Noctuidae) *superstes* Ochsenheimer,1816 01 04 05 06 08 12 14 25 30 33 36 37 50 53 66 75
- 432) **Hypena obesalis Treitschke,1829** (Noctuidae) *obesalis* Treitschke,1829 06 25 30 36 37 75
- 433) **Lacanobia (Dianobia) histrio (Goeze,1781)** (Noctuidae) *#contigua* [Denis & Schiffermüller],1775; *histrio* Goeze,1781; *ariae* Esper,[1786]; *spartii* Brahm,1791; *dives*, *pulchellina* Haworth,1809; *subcontigua* Eversmann,1852, etc. 04 08 25 28 36 53 75
- 434) **Lacanobia (Dianobia) thalassina (Hufnagel,1766)** (Noctuidae) *thalassina* Hufnagel,1766; *humeralis* Haworth,1809; *achates* Hübner,[1813]. 01 05 06 08 18 25 32 36 39 50 65 66 75
- 435) **Lacanobia (Diataraxia) praedita (Hübner,[1813])** (Noctuidae) *praedita* Hübner,[1813] 08 36 50
- 436) **Lasionycta draudti (Wagner,1936)** (Noctuidae) *draudti* Wagner,1936 04 12 24 25 30 36 60 65 75 76
- 437) **Lasionycta proxima (Hübner,[1809])** (Noctuidae) *proxima* Hübner,[1809]; *cana* Eversmann,1841; *ochrostigma* Eversmann,1842; *extensa* Eversmann,1844; *nevadensis* Reisser,1926; *noguera* De Laever,1976. 01 06 08 25 36 60
- 438) **Leucania comma (Linnaeus,1761)** (Noctuidae) *comma* Linnaeus,1761; *turbida* Hübner,[1803]; *congener* Hübner,[1817]; *rhodocomma* Püngeler,1900; *engadinensis* Wagner,1909. 06 08 18 25 28 36 60 75
- 439) **Leucania loreyi (Duponchel,1827)** (Noctuidae) *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856. 06 07 08 14 17 24 25 28 33 36 42 46 50 58 62 65 80
- 440) **Lygephila cracca (Fabricius,1787)** (Noctuidae) *#cracca* [Denis & Schiffermüller],1775; *riata* Rungs,1952; *cracca* Fabricius,1787; *#cracca* Hacker & Kautt,1999. 01 05 06 07 08 12 13 14 16 17 18 22 24 25 29 30 33 36 42 48 50 58 60 62 63 65 75
- 441) **Lygephila lusoria (Linnaeus,1758)** (Noctuidae) *lusoria* Linnaeus,1758 01 03 04 05 06 07 08 11 18 24 25 32 33 36 42 49 50 51 58 62 66 70
- 442) **Lygephila lusoria amasina (Staudinger,1879)** (Noctuidae) *amasina* Staudinger,1879; *sublutea* Warren,1913. 01 03 04 05 06 07 08 11 18 24 25 32 33 36 42 49 50 51 58 62 66 70
- 443) **Lygephila pastinum (Treitschke,1826)** (Noctuidae) *pastinum* Treitschke,1826; *dilutior* Staudinger,1892. 04 06 25 29 36
- 444) **Lygephila subpicata Wiltshire,1971** (Noctuidae) *subpicata* Wiltshire,1971 04 12 24 25 30 36 38 58 69
- 445) **Margelana flavidior Wagner,1831** (Noctuidae) *flavidior* Wagner,1831 12 25 36 38 42 49 50 58 60 64 65 70
- 446) **Megalodes eximia (Freyer,1845)** (Noctuidae) *eximia* Freyer,1845 01 05 07 10 13 24 25 27 30 33 36 42 46 47 49 50 62 63 65 66
- 447) **Mesapamea (s.str.) vaskeni Varga,1979** (Noctuidae) *vaskeni* Varga,1979 04 08 25 36 75

- 448) *Mesoligia literosa* (Haworth,[1809]) (Noctuidae) *literosa* Haworth,[1809]; *erraticula* Hübner,[1813]; *faroulti* Rothschild,1914; *powelli* Oberthür,1918 03 06 07 08 24 25 36 38 42 50 51 58 62 65 66 69 75
- 449) *Metopoplus excelsa* (Christoph,1885) (Noctuidae) *excelsa* Christoph,1885 30 36 51 65
- 450) *Mythimna (Aletia) conigera* ([Denis & Schiffermüller],1775) (Noctuidae) *conigera* [Denis & Schiffermüller],1775; *floccida* Esper,[1788]. 04 25 36 37 45 50 58 60 61 75
- 451) *Mythimna (Aletia) sassanidica* (Hacker,1986) (Noctuidae) *sassanidica* Hacker,1986 04 06 08 24 25 30 36 46 58 60 65
- 452) *Mythimna (Aletia) vitellina* (Hübner,[1808]) (Noctuidae) *vitellina* Hübner,[1808]; *decolorata* Dannehl,1929; *saturnator* Dannehl,1929; *grisescens* Dannehl,1929. 01 03 05 06 07 08 09 16 17 18 22 23 24 25 27 28 29 31 33 34 35 36 37 39 42 44 45 46 50 51 52 56 58 62 63 65 80
- 453) *Mythimna (Hyphilare) albipuncta* (Fabricius,1787) (Noctuidae) *albipuncta* [Denis & Schiffermüller],1775; *albipuncta* (Fabricius,1787; *rufotincta* Wagner,1921. 05 14 16 17 24 33 34 36 50 65 66
- 454) *Mythimna (Hyphilare) ferrago* (Fabricius,1787) (Noctuidae) *ferrago* Fabricius,1787; *lythargyria* Esper,[1788]; *grisea* Stephens,1829; *anargyria* Boisdual,1840; *argyristis* Rambur,1858; *meridionalis* Dannehl,1926 01 04 06 12 08 24 28 33 36 39 42 45 46 50 58 61 62 65 66
- 455) *Nola karelica* (Tengström,1869) (Noctuidae) *karelica* Tengström,1869 36 76
- 456) *Ochropleura plecta* (Linnaeus,1761) (Noctuidae) *pecta* Linnaeus,1761; *unimacula* Staudinger,1859; *anderssoni* Lampa,1885; *glaucimacula* Graeser,[1889]; *unuplecta* Bryk,1942. 08 09 25 28 30 33 36 55 58 61 65
- 457) *Odice arcuinna* (Hübner,1790) (Noctuidae) *arcuinna* Hübner,1790; *inamoena* Hübner,[1803]. 05 06 10 14 16 17 20 25 32 33 35 36 38 42 51 58 66 80
- 458) *Odice kuelekana* (Staudinger,1871) (Noctuidae) *kuelekana* Staudinger,1871 05 10 17 19 22 23 24 25 29 33 36 44 46 50 51 58 62 66 70
- 459) *Omphalophana durnalayana* Osthelder,1933 (Noctuidae) *durnalayana* Osthelder,1933 04 12 25 30 36 46 49 62
- 460) *Oncocnemis confusa* (Freyer,[1839]) (Noctuidae) *confusa* Freyer,[1839]. 04 25 30 36 46 50 58 62 65
- 461) *Opigena polygona* (Fabricius,1787) (Noctuidae) *polygona* [Denis & Schiffermüller],1775; *polygona* Fabricius,1787; *nigrofulva* Esper,[1788]; *pyramis* Borkhausen,1792. 03 04 12 13 17 18 24 25 30 36 39 42 60 69
- 462) *Papestra biren* (Goeze,1781) (Noctuidae) *biren* Goeze,1781; *glauca* Kleemann,1792; *lappo* Duponchel,1827; *aperta* Geyer,[1832]; *quadripuncta* Zetterstedt,[1839]; *poliostigma* Hampson,1894; *tanensis* Fuchs,1899; *paupercula* Püngeler,1902; *frustrata* McDunnough,1946. 08 34 36
- 463) *Parastichtis corticea* (Esper,[1800]) (Noctuidae) *hypsillon* [Denis & Schiffermüller],1775; *ipsilon* Goeze,1781 *nec* Hufn.,1766; *corticea* Esper,[1800]; *fissipuncta* Haworth,1809; *upsilon* Curtis,1828. 01 06 10 17 25 30 35 36 49 50 51 58 60 62 66 75
- 464) *Parastichtis suspecta* (Hübner,[1817]) (Noctuidae) *suspecta* Hübner,[1817] 36
- 465) *Parexarnis ala* (Staudinger,1881) (Noctuidae) *ala* Staudinger,1881 36
- 466) *Parexarnis damnata* (Draudt,1937) (Noctuidae) *damnata* Draudt,1937 04 36
- 467) *Parexarnis taurica* (Staudinger,1879) (Noctuidae) *taurica* Staudinger,1879; *pseudosollers* Boursin,1940. 23 24 25 33 36 38 42 44 50 51 65 66
- 468) *Pericyma albidentaria* (Freyer,1842) (Noctuidae) *albidentaria* Freyer,1842 06 09 19 23 33 35 36 42 44 50 56 58 66
- 469) *Photedes fluxa* (Hübner,[1809]) (Noctuidae) *fluxa* Hübner,[1809] 04 08 25 30 36
- 470) *Polia bombycina* (Hufnagel,1766) (Noctuidae) *bombycina* Hufnagel,1766; *advena* [Denis & Schiffermüller],1775; *tincta* Brahm,1791; *nitens* Haworth,1809. 04 08 24 25 28 29 30 36 50 53 58 75
- 471) *Polymixis (Eremophysa) apothaina* (Brandt,1938) (Noctuidae) *apothaina* Brandt,1938 36
- 472) *Polymixis (Myxinia) chrysographa* (Wagner,1931) (Noctuidae) *chrysographa* Wagner,1931 36 42 45 58 70
- 473) *Polymixis (Myxinia) perchrysa* Hacker & Ronkay,1992 (Noctuidae) *perchrysa* Hacker & Ronkay,1992 04 36
- 474) *Polymixis (Myxinia) philippsi* (Püngeler,1911) (Noctuidae) *philippsi* Püngeler,1911 04 13 36
- 475) *Polymixis (Parabrachionycha) atossa* (Wiltshire,1941) (Noctuidae) *atossa* Wiltshire,1941 36
- 476) *Polymixis (Parabrachionycha) trisignata* (Ménétrières,1847) (Noctuidae) *trisignata* Ménétrières,1847; *leuconota* Herrich-Schäffer,[1850]; *nasamonius* Turati,1924 05 06 19 36 45 46 50 56 58 63 64 65 70
- 477) *Polymixis (s.str.) rjabovi* (Boursin,1944) (Noctuidae) *rjabovi* Boursin,1944 04 36 73 76
- 478) *Powellinia carthalina* (Christoph,1893) (Noctuidae) *carthalina* Christoph,1893 04 06 18 25 28 36 51 60 65
- 479) *Protexarnis confinis* (Staudinger,1881) (Noctuidae) *confinis* Staudinger,1881; *aucta* Alpheraky,1892; *barbara* Corti & Draudt,1933; *suspiciax* Corti & Draudt,1933; *velifera* Corti & Draudt,1933; *anthracina* Boursin,1964. 04 36 46 65
- 480) *Protexarnis opisoleuca* (Staudinger,1881) (Noctuidae) *opisoleuca* Staudinger,1881; *inermis* Corti & Draudt,1933. 04 12 25 36 58 69
- 481) *Pseudenargia deleta* (Osthelder,1933) (Noctuidae) *deleta* Osthelder,1933; *badiofasciata* Draudt,1936; *basilissa* Brandt,1938. 01 04 13 23 30 36 44 46 58 62 63 65 73
- 482) *Pseudenargia regina* (Staudinger,1892) (Noctuidae) *regina* Staudinger,1892 01 03 05 06 08 13 18 31 33 36 42 46 50 51 58 62 65
- 483) *Pseudohadena (s.str.) laciniosa* (Christoph,1887) (Noctuidae) *laciniosa* Christoph,1887 07 23 25 30 36 38 42 44
- 484) *Pyrocleptria cora* (Eversmann,1837) (Noctuidae) *cora* Eversmann,1837 36
- 485) *Pyrrhia treitschkii* (Frivaldsky,1835) (Noctuidae) *treitschkii* Frivaldsky,1835. 04 05 06 07 08 13 25 30 33 36 44 46 63 65
- 486) *Pyrrhia umbra* (Hufnagel,1766) (Noctuidae) *umbra* Hufnagel,1766; *marginata* Fabricius,1775; *rutilago* [Denis & Schiffermüller],1775; *conspicua* Borkhausen,1792; *umbrago* Esper,[1796]; *marginago* Haworth,1809; *aconiti* Hölzermann,1902. 05 06 13 14 24 25 30 33 36 52 61 69
- 487) *Rhyacia (s.str.) helvetina* (Boisdual,1833) (Noctuidae) *helvetina* Boisdual,1833; *livia* Freyer,1836 04 25 27 33 36 38 42 51 58 65 68
- 488) *Rhyacia (s.str.) lucipeta* ([Denis & Schiffermüller],1775) (Noctuidae) *lucipeta* [Denis & Schiffermüller],1775. 06 08 25 36 38 46 49 50 58 60 64 65 66
- 489) *Rusina ferruginea* (Esper,[1785]) (Noctuidae) *umbratica* Goeze,1781; *ferruginea* Esper,[1785]; *tenebrosa* Hübner,[1803]; *phaeus* Haworth,1803; *obsoletissima* Haworth,1809. 14 18 34 36
- 490) *Schinia cardui* (Hübner,1790) (Noctuidae) *cardui* Hübner,1790; *purpurata* Staudinger,1901; *majellana* Dannehl,1933. 06 08 21 36 58 62
- 491) *Schinia cognata* (Freyer,[1833]) (Noctuidae) *cognata* Freyer,[1833] 05 35 36 50
- 492) *Schinia imperialis* (Staudinger,1871) (Noctuidae) *imperialis* Staudinger,1871 08 36
- 493) *Schinia purpurascens* (Tauscher,1809) (Noctuidae) *purpurascens* Tauscher,1809; *pulchra* Eversmann,1842 05 25 29 36 75
- 494) *Scythrocentropus misella* (Püngeler,1907) (Noctuidae) *misella* Püngeler,1907 06 36 50
- 495) *Sideridis (Aneda) rivularis* (Fabricius,1775) (Noctuidae) *rivularis* Fabricius,1775; *cucubali* [Denis & Schiffermüller],1775; *rivosa* Ström,1783; *behenis* Freyer,1845. 04 08 09 13 14 18 23 24 28 36 49 50 65 75
- 496) *Sideridis (Conisania) capsivora* (Draudt,1933) (Noctuidae) *capsivora* Draudt,1933 13 30 36 65

- 497) **Sideridis (Luteohadena) luteago** ([Denis & Schiffermüller],1775) (Noctuidae) *luteago* [Denis & Schiffermüller],1775; *brunneago* Esper,[1804]; *nigrescens* Wagner,1926 (*praeocc.*); *ottomana* Koçak,1990. 04 05 06 07 08 11 18 21 24 25 29 30 33 36 42 49 50 58 60 61 65
- 498) **Sideridis (s.str.) egena** (Lederer,1853) (Noctuidae) *egena* Lederer,1853; ? *stoliczkana* Moore,1878 05 30 36 58
- 499) **Sideridis (s.str.) turbida** (Esper,[1790]) (Noctuidae) *turbida* Esper,[1790]; *albicolon* Hübner,[1813] 04 18 24 25 36 42 50 58 60 65 75
- 500) **Spaelotis demavendi** (F.Wagner,1937) (Noctuidae) *demavendi* F.Wagner,1937 04 25 36 38 68 69
- 501) **Spaelotis ravida** ([Denis & Schiffermüller],1775) (Noctuidae) *ravida* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 nec Cramer,1780; *salva* Corti & Draudt,1933. 04 05 06 14 18 25 36 42 50 58 62 65 66 73
- 502) **Spodoptera exiguum** (Hübner,[1808]) (Noctuidae) *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebhana* Austaut,1880; *antipodea* Warren,1914; *protector* De Laever,1985. 01 05 07 08 14 16 17 18 25 27 29 30 31 32 33 36 38 42 43 45 46 50 51 52 56 58 63 64 65 69
- 503) **Standfussiana nictymera** (Boisduval,[1837]) (Noctuidae) *carriei* Boursin,1948. 04 05 25 31 33 36 42 46 50 51 58 60 65 66 69
- 504) **Teinoptera olivina** (Herrich-Schäffer,[1852]) (Noctuidae) *olivina* Herrich-Schäffer,[1852] 01 05 06 08 18 21 24 25 32 33 36 42 50 51 58 60
- 505) **Tholera hilaris** (Staudinger,1901) (Noctuidae) *hilaris* Staudinger,1901; *gracilis* Kostrowicki,1963 06 36 50
- 506) **Tyta luctuosa** ([Denis & Schiffermüller],1775) (Noctuidae) *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 nec Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789 01 04 05 06 07 08 11 14 16 17 18 22 23 25 30 32 33 34 35 36 38 42 44 50 51 58 61 62 65 66 67 69 70 71
- 507) **Ulochlæna hirta** (Hübner,[1813]) (Noctuidae) *hirta* Hübner,[1813] 05 06 07 13 32 30 36 38 46 49 58 62 65 70
- 508) **Victrix (Rasihia) boursini** (Draudt,1936) (Noctuidae) *boursini* Draudt,1936 06 13 23 36 65 71
- 509) **Victrix (s.str.) karsiana** (Staudinger,1879) (Noctuidae) *karsiana* Staudinger,1879 04 06 08 25 36 44 75
- 510) **Xanthia icteritia** (Hufnagel,1766) (Noctuidae) *icteritia* Hufnagel,1766; *cerago* [Denis & Schiffermüller],1775; *flavescens* Esper,[1788]. 06 14 25 36 62 66 75
- 511) **Xestia (Megasema) ashworthii** (Doubleday,1855) (Noctuidae) *ashworthii* Doubleday,1855 04 08 18 25 36 75
- 512) **Xestia (s.str.) baja** ([Denis & Schiffermüller],1775) (Noctuidae) *baja* [Denis & Schiffermüller],1775 08 14 34 36 37 53 69 75
- 513) **Xestia (s.str.) ochreago** (Hübner,[1809]) (Noctuidae) *ochreago* Hübner,[1809]; *ochrojois* Hbn.,[1821]; *habichi* Rebel,1909. 01 04 08 25 36 58 60 75
- 514) **Xestia (s.str.) pallidago** (Staudinger,1900) (Noctuidae) *pallidago* Staudinger,1900 01 04 08 12 25 36 58 60 75
- 515) **Xylæna exsoleta** (Linnaeus,1758) (Noctuidae) *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787 01 05 06 09 15 26 33 36 45 46 66
- 516) **Xylomoia apameaoides** (Hacker,1989) (Noctuidae) *apameaoides* Hacker,1989 04 30 36
- 517) **Zekelita (Rhynchodontodes) antiqualis** (Hübner,[1809]) (Noctuidae) *antiqualis* Hübner,[1809]; *anatolica* Wagner,1931; *#antiquis* Zukowsky,1941 01 03 05 06 07 08 12 16 17 18 24 30 32 33 35 36 37 42 45 46 48 50 51 58 62 65 67
- 518) **Cerura (s.str.) vinula** (Linnaeus,1758) (Notodontidae) *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939 03 06 07 12 15 16 24 25 30 31 32 33 34 35 36 42 43 45 46 58 60 62 64 65
- 519) **Clostera curtula** (Linnaeus,1758) (Notodontidae) *curtula* Linnaeus,1758; *albicaudaalba* Retzius,1783 06 16 26 34 36 42 43 60 65 71
- 520) **Clostera pigra** (Hufnagel,1766) (Notodontidae) *pigra* Hufnagel,1766; *reclusa* [Denis & Schiffermüller],1775; *alticaudafurcata* Retzius,1783; *suffusa* Stephens,1835; *superior* Rangnow,1935; *#flavidior* Bytinski-Salz,1936 04 06 08 12 14 24 30 31 36 42 44 46 58 60 62 65
- 521) **Drymonia velitaris** (Hufnagel,1766) (Notodontidae) *velitaris* Hufnagel,1766; *austera* [Denis & Schiffermüller],1775; *bifasciata* Villers,1789 12 13 16 25 29 30 36 37 46 53 55 60 61 65
- 522) **Furcula bifida** (Brahm,1787) (Notodontidae) *hermelina* Goeze,1781 nec Gz.,1781; *bifida* Brahm,1787; *latifascia* Curtis,1827; *arcuata* Stephens,1828; *mucronata* Meigen,1830; *urocera* Boisduval,1840; *lype* Seifers,1933. 06 10 13 14 16 22 25 29 36 43 53 60
- 523) **Furcula furcula** (Linnaeus,1761) (Notodontidae) *#furcula* Clerck,1759; *furcula* Linnaeus,1761; *salicis* Lamarck,1816; *nordlandica* Daniel,1965; *atlantica* Daniel,1965. 06 14 16 19 30 32 36 37 48 60 67 71
- 524) **Notodonta tritophus** ([Denis & Schiffermüller],1775) (Notodontidae) *#tritophus* [Denis & Schiffermüller],1775; *phoebe* Siebert,1790; *perfuscus* Haworth,1803; *irfana* De Freina,1983. 06 14 17 24 29 36 43 60 65
- 525) **Notodonta ziczac** (Linnaeus,1758) (Notodontidae) *ziczac* Linnaeus,1758; *venosa* Fourcroy,1785; *monticola* Dannehl,1925; *lapponica* Rangnow,1935; *dimorpha* Rangnow,1935; *reisseri* Rungs,1956 24 36 42 52 60
- 526) **Phalera bucephala** (Linnaeus,1758) (Notodontidae) *bucephala* Linnaeus,1758; *lunula* Retzius,1783 nec Hufn.,1766 non Strm,1768. 05 12 13 14 16 17 24 25 32 36 42 53 58 60 65
- 527) **Pheosia tremula** (Linnaeus,1761) (Notodontidae) *#tremula* Clerck,1759; *tremula* Linnaeus,1761; *dictaea* Linnaeus,1767; *turcica* De Freina,1979; *#turica* Schintlmeister,1989 06 14 16 24 29 33 36 43 52 60 64
- 528) **Pterostoma palpinum** (Linnaeus,1761) (Notodontidae) *palpina* Linnaeus,1761; *caudapiscina* Goeze,1783; *salicis* Germar,1812. 06 12 13 16 19 24 25 30 32 36 37 42 46 50 60 65
- 529) **Pleurota pyropella** ([Denis & Schiffermüller],1775) (Oecophoridae) *pyropella* [Denis & Schiffermüller],1775 05 06 16 36 42 44 46 51
- 530) **Iphiclides podalirius** (Linnaeus,1758) (Papilionidae) *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zanclaeides* Verity,1911; *pseudopersica* Rocci,1926. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 48 49 50 51 52 54 56 58 59 60 62 64 65 66 67 68 69 70 71 73 76 77 78 81
- 531) **Papilio (s.str.) alexanor** (Esper,[1800]) (Papilionidae) *polidamas* De Prunner,1787 nec Linnaeus,1758; *alexanor* Esper,[1800]; *polychaon* Loche,1801; *destelensis* Nel & Chauliac,1983. 01 02 03 05 06 07 08 10 16 17 25 30 31 33 35 36 42 43 44 45 46 47 48 52 58 60 62 65 69 70 71 73 74 76
- 532) **Papilio (s.str.) machaon** (Linnaeus,1758) (Papilionidae) *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 45 46 47 48 50 51 56 58 59 60 62 63 65 66 68 69 70 71 73 74 76 77 80
- 533) **Parnassius (Driopa) mnemosyne** (Linnaeus,1758) (Papilionidae) *mnemosyne* Linnaeus,1758 01 03 05 06 07 08 12 13 14 16 18 24 25 26 27 29 30 31 32 33 35 36 37 39 42 46 48 49 51 52 53 58 60 62 65 66 67 69 73 74 76 80

- 534) **Parnassius (s.str.) apollo (Linnaeus,1758)** (Papilionidae) *apollo Linnaeus,1758* 01 03 04 05 06 07 13 14 16 18 24 25 27 29 30 32 33 35 36 37 38 42 44 46 51 57 58 60 62 65 67 69 74 76 78
- 535) **Anthocharis cardamines (Linnaeus,1758)** (Pieridae) *cardamines Linnaeus,1758; hesperides Newman,1894; britannica Verity,1908; meridionalis Verity,1908 nec Lederer,1852; montivaga Turati & Verity,1911* 01 03 04 05 06 07 08 09 10 13 14 15 16 17 18 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 41 42 43 44 45 46 47 48 51 52 53 55 56 58 60 61 62 65 66 70 71 73 74 75 76 78
- 536) **Anthocharis damone Boisduval,1836** (Pieridae) *damone Boisduval,1836* 01 04 05 07 08 10 13 21 23 24 25 27 29 30 31 32 33 34 35 36 42 43 44 46 48 51 65 69 70 73 76
- 537) **Anthocharis gruneri Herrich-Schäffer,[1851]** (Pieridae) *gruneri Herrich-Schäffer,[1851]; #diluta Röber,1907; eros Röber,1907* 01 02 03 04 05 06 07 12 13 21 24 25 27 29 30 31 32 33 35 36 38 42 43 44 45 46 47 50 51 58 60 62 65 66 70 71 73 76
- 538) **Aporia (s.str.) crataegi (Linnaeus,1758)** (Pieridae) *crataegi Linnaeus,1758; nigronervosus Retzius,1783; minor Verity,1907; basanius Fruhstorfer,1910; crataegiaugusta Verity,1937.* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 56 58 60 61 62 63 65 66 69 70 71 72 73 74 76 78 80 81
- 539) **Colias (Eriocolias) crocea (Fourcroy,1785)** (Pieridae) *crocea Fourcroy,1785; pyrenaica Groum-Grshimailo,1893.* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 68 69 70 71 72 73 74 76 77 78 79 80 81
- 540) **Colias (Eriocolias) thisoa Ménétriés,1832** (Pieridae) *thisoa Ménétriés,1832; helena Herrich-Schäffer,[1844]; eos Herrich-Schäffer,[1848]; #ludmilla Schulte,1989.* 04 08 25 30 36 53 65 69 73 75 76
- 541) **Colias (Neocolias) aurorina Herrich-Schäffer,[1850]** (Pieridae) *aurorina Herrich-Schäffer,[1850]* 01 03 04 05 06 07 08 13 14 19 21 23 24 25 29 30 32 33 36 37 38 42 46 48 49 50 51 53 58 60 61 62 65 66 69 70 75 76 80
- 542) **Colias (Neocolias) chlorocoma Christoph,1888** (Pieridae) *chlorocoma Christoph,1888* 04 13 24 25 29 30 36 38 51 65 69 76
- 543) **Colias (s.str.) hyale (Linnaeus,1758)** (Pieridae) *hyale Linnaeus,1758; #amdensis Verity,[1911].* 08 25 36 75
- 544) **Colias (s.str.) sareptensis Staudinger,1881** (Pieridae) *#sareptensis Staudinger,1871; sareptensis Staudinger,1881.* 01 03 04 05 06 07 08 09 11 13 14 15 16 18 19 20 24 25 26 29 32 33 34 35 36 37 38 41 42 43 44 46 48 49 50 51 52 53 58 60 61 62 65 66 67 69 70 71 73 74 76 78 80
- 545) **Euchloe (s.str.) ausonia (Hübner,[1804])** (Pieridae) *ausonia Hübner,[1804]; marchandae Geyer,[1832].* 01 02 03 04 05 06 07 09 10 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 50 51 54 58 60 62 63 65 66 68 70 71 74 76 77 78 80
- 546) **Gonepteryx (s.str.) farinosa (Zeller,1847)** (Pieridae) *farinosa Zeller,1847* 01 02 03 05 06 07 08 10 11 13 14 16 17 19 20 21 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 46 47 48 50 51 56 58 60 62 65 66 67 68 69 70 71 73 76 80
- 547) **Gonepteryx (s.str.) rhamni (Linnaeus,1758)** (Pieridae) *rhamni Linnaeus,1758; gravesi Huggins,1956.* 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 24 25 26 30 31 32 33 34 35 36 38 39 42 43 44 46 47 48 49 50 51 52 55 60 62 65 66 67 69 71 73 75 76 81
- 548) **Leptidea duponcheli (Staudinger,1871)** (Pieridae) *duponcheli Staudinger,1871; #dupncheli Nazari,2003* 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 49 50 51 53 58 59 60 62 64 65 66 67 69 70 71 73 74 76 78
- 549) **Leptidea sinapis (Linnaeus,1758)** (Pieridae) *sinapis Linnaeus,1758; candidus Retzius,1783; erysimi Borkhausen,1788; lathyri Hübner,[1819]; loti Rennie,1832; umbratica Trimoulet,1858; sartha Rühl,1893; stabiarum Stauder,1914; nigrescens Verity,1919; patunae Stauder,1922; lathyricana Verity,1952.* 01 03 04 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 45 46 48 49 50 52 53 54 55 58 60 61 62 65 66 67 69 70 74 76 77 78 79 75 76 81
- 550) **Pieris (Artogeia) ergane (Geyer,[1828])** (Pieridae) *ergane Geyer,[1828]; narcaea Freyer,[1828].* 01 02 03 04 05 06 07 08 12 13 14 15 16 18 21 23 24 25 26 28 29 30 31 32 33 36 38 42 43 44 46 47 49 50 51 52 56 58 60 62 63 65 66 69 71 73 74 76
- 551) **Pieris (Artogeia) krueperi Staudinger,1860** (Pieridae) *krueperi Staudinger,1860* 01 07 08 09 10 16 21 25 30 32 33 35 36 42 45 46 51 56 58 62 65 73 80
- 552) **Pieris (Artogeia) mannii (Mayer,1851)** (Pieridae) *mannii Mayer,1851; manni Verity,1908; alpigena Verity,1911; roberti Eitschberger & Steiniger,1973.* 01 02 03 06 07 08 10 11 14 17 18 21 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 45 46 47 48 49 50 51 53 61 62 65 67 69 74 76 78 80
- 553) **Pieris (Artogeia) pseudorapae Verity,1908** (Pieridae) *pseudorapae Verity,1908* 01 03 04 05 06 07 08 10 11 12 13 14 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 47 48 49 50 51 52 53 54 56 58 59 60 61 62 63 65 66 67 68 71 73 74 75 76 77 78 80 81
- 554) **Pieris (Artogeia) rapae (Linnaeus,1758)** (Pieridae) *rapae Linnaeus,1758; nelo Bergsträßer,1780; metra Stephens,1827; alpica Rossi,1929.* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 73 74 76 77 78 79 80
- 555) **Pieris (s.str.) brassicae (Linnaeus,1758)** (Pieridae) *brassicae Linnaeus,1758; chariclea Stephens,1827; #venata Verity,1908; cyniphia Turati,1924.* 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 48 49 50 51 52 53 54 55 58 60 61 63 65 66 70 71 73 74 75 76 77 80 81
- 556) **Pontia chloridice (Hübner,[1813])** (Pieridae) *rusciae Esper,[1784] nec russiae Esper,[1783]; chloridice Hübner,[1813]; #aestuosa Staudinger,1901; albidice Staudinger,1901 nec Oberthür,1881.* 03 05 06 07 08 10 12 13 16 18 21 23 24 25 29 30 33 34 35 36 42 44 45 46 48 50 56 60 62 63 65 69 71 73 76
- 557) **Pontia edusa (Fabricius,1777)** (Pieridae) *edusa Fabricius,1777; bellidice Ochsenheimer,1808; persica Bienert,1869; #nitida Verity,[1908].* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 39 40 41 42 43 44 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 67 68 69 70 71 73 74 76 77 79 80 81
- 558) **Zegris eupheme (Esper,[1804])** (Pieridae) *eupheme Esper,[1804]; erothoe Eversmann,1832; tschudica Herrich-Schäffer,[1851].* 01 05 06 07 11 18 24 25 30 31 32 33 36 38 42 44 46 50 51 58 60 65 71 73 76
- 559) **Canephora caucasica (A.Bang-Haas,1912)** (Psychidae) *caucasica A.Bang-Haas,1921; subgrisea Kozhanchikov,1956.* 04 08 25 30 36 58 60 65 73
- 560) **Canephora hirsuta (Poda,1761)** (Psychidae) *hirsuta Poda,1761; dubia Scopoli,1763; unicolor Hufnagel,1766; xylophthorum Pallas,1767; vestita Fabricius,1775; fasciculifera Fourcroy,1785; quercus Schrank,1802; vestitiella Hübner,[1825]; asiatica Staudinger,1887.* 06 36 60
- 561) **Canephora villosella (Ochsenheimer,1810)** (Psychidae) *villosella Ochsenheimer,1810* 07 10 33 36 46
- 562) **Megalophanes viciella ([Denis & Schiffermüller],1775)** (Psychidae) *viciella [Denis & Schiffermüller],1775; orientalis Dierl,1977.* 01 06 14 22 25 33 34 36 42 45
- 563) **Ptilocephala (s.str.) muscella ([Denis & Schiffermüller],1775)** (Psychidae) *muscella [Denis & Schiffermüller],1775* 36
- 564) **Capperia maratonica Adamczewski,1951** (Pterophoridae) *maratonica Adamczewski,1951* 36 42
- 565) **Emmelina monodactyla (Linnaeus,1758)** (Pterophoridae) *monodactyla Linnaeus,1758; sibiricus Caradja,1920.* 05 06 07 09 14 16 23 29 31 33 34 36 38 46 50 59 61

- 566) **Procapperia maculata (Constant,1865)** (Pterophoridae) *maculata* Constant,1865; *croatica* Adamczewski,1951. 05 06 24 33 36 42 58 71
- 567) **Stangeia siceliota (Zeller,1847)** (Pterophoridae) *siceliota* Zeller,1847; *ononidis* Zeller,1852; *ononydactyla* Bruand,1858; *siceliotidactyla* Bruand,1858. 07 09 16 34 36 38 44 50 58 76
- 568) **Wheeleria obsoleta (Zeller,1841)** (Pterophoridae) *obsoleta* Zeller,1841; *confusa* Herrich-Schäffer,1855; *marrubii* Wasserthal,1970. 05 06 14 16 29 36 38 42 44 46 47 50 51 55 58 71 76
- 569) **Agriphila tristella ([Denis & Schiffermüller],1775)** (Pylalidae) *tristella* [Denis & Schiffermüller],1775; *ferruginella* Thunberg,1788; *paleella* Hübner,1796; *aquilella* Hübner,1796; *moerens* Fabricius,1798; *fuscinella* Schrank,1802; *fuscelinellus* Stephens,1834; *ribbeellus* Caradja,1910; *discistrigatus* Hampson,1919. 14 36 75
- 570) **Ancylolomia palpella ([Denis & Schiffermüller],1775)** (Pylalidae) *palpella* [Denis & Schiffermüller],1775; *sovinskyi* Krulikovskiy,1909; *syriaca* Rebel,1911; *gracilella* Caradja,1916; *mesopotamica* Rebel,1918; *affinis* Rothschild,1921. 05 06 10 16 31 33 36 42 46 58 65 71
- 571) **Catoptria colchicella (Lederer,1870)** (Pylalidae) *colchicellus* Lederer,1870 12 36 76
- 572) **Chilo luteellus (Motschulsky,1866)** (Pylalidae) *lutellus* Motschulsky,1860 *nec* [Denis & Schiff.],1775; *luteellus* Motschulsky,1866; *concolorellus* Christoph,1885; *gensamellus* Leech,1889; *dubia* Bethune-Baker,1894; *boxanus* Hering,1903; *plumbosellus* Chrétien,1910; *molydellus* Zerny,1935; *molybdellus* Zerny,1941. 01 05 06 16 25 36 42 46 58 76
- 573) **Chrysocrambus craterellus (Scopoli,1763)** (Pylalidae) *craterellus* Scopoli,1763; *rorella* Linnaeus,1767; *klimeschi* Toll,1938; *alpinus* Bleszynski,1958; *abruzzellus* Bleszynski,1958. 01 05 06 14 16 22 36 37 38 39 40 46 48 50 58 69 71 76
- 574) **Megasis mimeticella (Staudinger,1879)** (Pylalidae) *mimeticella* Staudinger,1879; *tolli* Amsel,1953. 05 06 36 42 44 46 58
- 575) **Saturnia (Heraea) cephalariae Romanoff,1885** (Saturniidae) *cephalariae* Romanoff,1885 25 29 30 36 65 69 76
- 576) **Arethusana arethusia ([Denis & Schiffermüller],1775)** (Satyridae) *arethusia* [Denis & Schiffermüller],1775; *erythia* Hübner,1805; *pontica* Heyne,[1895]; *sultana* Wagner,1929; *hakkarica* Kocak,1975 (*sensu* Hesselbarth et al.,1995: 917). 03 04 05 06 07 08 10 11 13 14 16 19 20 22 24 25 26 29 30 32 33 35 36 38 39 42 50 51 53 58 60 65 66 69 70 71 76
- 577) **Brintesia circe (Fabricius,1775)** (Satyridae) *circe* Fabricius,1775; *proserpina* Denis & Schiffermüller,1775; *maga* Fruhstorfer,1909; *venefica* Fruhstorfer,1909; *gabala* Gaillard,1959; *maladetta* Varin,1962. 01 03 05 06 07 08 10 11 13 15 16 17 18 20 21 22 24 25 27 29 30 31 32 33 34 35 36 37 39 42 43 45 46 47 48 51 53 56 58 60 62 64 67 70 71 72 73 76
- 578) **Chazara (Neochazara) anthe (Hoffmannsegg,1804)** (Satyridae) *anthe* Hoffmannsegg,1804; *persephone* Hübner,1805; *anthe* Ochsenheimer,1807. 01 02 03 04 05 06 07 13 14 16 19 21 23 24 25 26 29 30 33 36 37 38 40 42 43 44 46 47 50 51 58 60 62 65 66 68 70 71 74 75 76 81
- 579) **Chazara (s.str.) bischoffi (Herrich-Schäffer,[1846])** (Satyridae) *bischoffi* Herrich-Schäffer,[1846] 01 04 06 07 08 13 21 23 24 25 29 30 36 38 40 42 44 46 49 50 51 53 58 60 62 65 66 68 69 76
- 580) **Chazara (s.str.) briseis (Linnaeus,1764)** (Satyridae) *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 46 47 48 49 50 51 53 55 56 58 60 62 63 64 65 66 68 69 70 71 73 74 76 80
- 581) **Coenonympha arcania (Linnaeus,1761)** (Satyridae) *arcania* Linnaeus,1761; *amyntas* Poda,1761; *cephalus* Fourcroy,1785; *naidion* Borkhausen,1788; *huebneri* Oberthür,1910; *saleviana* Fruhstorfer,1910; *triumphans* Fruhstorfer,1910; *caucasica* Jachontov,1914; *fulvosatura* Verity,1935. 03 05 06 08 10 14 16 17 18 25 26 29 34 36 37 39 42 43 52 55 57 58 60 66 67 75 76 81
- 582) **Coenonympha glycerion (Borkhausen,1788)** (Satyridae) *iphis* [Denis & Schiffermüller],1775 *nec* Dru.,1773; *amyntas auctorum*; *glycerion* Borkhausen,1788; *hero* Fabricius,1793 *nec* Linnaeus,1761; *manto* Schrank,1801; *mandane* Kirby,1862; *tiphonides* Staudinger,1901. 04 08 24 25 29 30 36 65 69 76
- 583) **Coenonympha leander (Fabricius,1787)** (Satyridae) *#leander* Esper,[1784]; *leander* Fabricius,1787 03 04 05 06 07 08 16 24 25 29 30 36 42 51 60 65 69 76
- 584) **Coenonympha pamphilus (Linnaeus,1758)** (Satyridae) *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *juldusica* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De Lattin,1950 01 03 04 05 06 07 08 09 10 11 12 13 14 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 73 74 75 76 77 81
- 585) **Coenonympha symphita Lederer,1870** (Satyridae) *symphita* Lederer,1870; *karsiana* Sheljuzhko,1919 04 08 25 36 75 76
- 586) **Erebia aethiops (Esper,[1777])** (Satyridae) *aethiops* Esper,[1777]; *ligea* Poda,1761 *nec* Linnaeus,1758; *medea* Denis & Schiff.,1775; *blandina* Fabricius,1787; *media* Hübner,1799; *caledonia* Verity,1911; *altivaga* Fruhstorfer,1917; *sapaudia* Fruhstorfer,1917; *peneplana* Berger,1936. 05 08 14 18 25 29 36 37 53 55 57 60 61 74 75 76 77
- 587) **Erebia medusa ([Denis & Schiffermüller],1775)** (Satyridae) *medusa* [Denis & Schiffermüller],1775 06 08 14 18 25 29 34 36 37 60 61 67 69 74 75 76
- 588) **Esperarge (s.str.) clymene (Fabricius,1787)** (Satyridae) *#climene* Esper,[1783]; *clymene* Fabricius,1787; *boroeas* Latreille,1803; *synclimene* Hübner,[1819]. 04 05 06 07 08 12 13 16 19 23 24 25 29 30 36 38 40 42 44 46 49 56 58 60 62 65 66 69 71 73 75 76
- 589) **Hipparchia (Neohipparchia) fatua (Freyer,1844)** (Satyridae) *fatua* Freyer,1844; *sichaea* Lederer,1857; *insularis* Turati,1929; *elineata* Verity,1937; *infracastanea* Verity,1938; *kosswigi* De Lattin,1950. 01 02 03 04 05 06 07 08 09 10 11 16 17 20 21 23 24 25 27 30 31 32 33 34 35 36 39 42 43 44 45 46 48 50 51 57 58 60 62 65 70 71 74 75 77 80
- 590) **Hipparchia (Neohipparchia) parisatis (Kollar,[1849])** (Satyridae) *parisatis* Kollar,[1849]; *macrophthalmus* Eversmann,1851; *malatinus* Heyne,1894; *ismail* Gross & Ebert,1975; *huochenensis* Huang & Zhou,2000. 04 08 12 13 21 23 24 25 30 31 36 44 46 47 56 58 62 63 65 73 76
- 591) **Hipparchia (Neohipparchia) statilinus (Hufnagel,1766)** (Satyridae) *statilinus* Hufnagel,1766; *fauna* Sulzer,1776 *nec* Drury,1773; *allionia* Fabricius,1781; *actaea sensu* Villers,1789; *arachne* Esper,1789 *nec* Denis & Schiff.,1775; *allionii* Hübner,1826, etc. 01 03 05 06 07 08 10 11 13 14 16 17 19 20 22 23 25 26 29 30 33 34 35 36 38 39 41 42 43 46 50 58 60 65 66 67 70 71 76 81
- 592) **Hipparchia (Parahipparchia) pellucida (Stauder,1924)** (Satyridae) *pellucida* Stauder,1924; *cotys* Jachontov,1935; *hesselbarthi* Kudrna,1976. 01 02 05 08 12 13 14 21 23 24 25 27 29 30 31 33 35 36 37 44 46 47 51 55 60 61 63 65 66 72 73 74 75 76 80
- 593) **Hipparchia (s.str.) syriaca (Staudinger,1871)** (Satyridae) *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959. 01 03 05 06 07 08 09 10 11 12 13 14 15 16 17 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 47 48 51 55 58 60 62 64 65 66 68 71 72 73 74 75 76 77 80
- 594) **Hyponephele (s.str. (Ereminphele)) naricoides Gross,1977** (Satyridae) *naricoides* Gross,1977 04 13 24 30 36 44 58 65
- 595) **Hyponephele (s.str.) lupina (Costa,[1836])** (Satyridae) *lupina* Costa,[1836] 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 55 56 58 60 62 63 64 65 66 67 69 70 71 72 73 76 80

- 596) **Hyponephele (s.str.) lycaon (Rottemburg,1775)** (Satyridae) *lycaon Rottemburg,1775*; #*lycaon Kuhn,1774*; *eudora Esper,1778*; *janirula Esper,1800*. 01 02 03 04 07 08 09 11 12 13 14 15 16 20 21 23 24 25 26 27 29 30 32 33 35 36 38 42 43 44 46 47 48 49 50 51 56 60 62 63 65 70 73 75 76
- 597) **Hyponephele (s.str.) zuvandica Samodurov & Koroljev,1996** (Satyridae) *zuvandica Samodurov & Koroljev,1996*; #*zuvandi Korb,2000*. 04 05 06 08 12 13 18 24 25 29 36 37 40 53 58 60 62 65 66 67 69 75 76
- 598) **Lasiommata maera (Linnaeus,1758)** (Satyridae) *maera Linnaeus,1758*; *pandion Poda,1761*; *hiera Fab.,1777*; *maja Fuchs,1873*; *monotonia Schilde,1885*; *crimea Bang-Haas,1907*; *atabryris Fruhstorfer,1909*. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 46 47 48 50 51 53 56 57 58 60 61 62 65 66 67 68 71 73 74 76 80
- 599) **Lasiommata megera (Linnaeus,1767)** (Satyridae) *megera Linnaeus,1767*; *caledonia Verity,1911*; *alticola Verity,1911*; *pseudoadrasta Stauder,1922*; *infrapallens Verity,1922*; *ocellator Verity,1923*; *pallidedepulverata Verity,1923*. 01 02 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 26 27 28 30 31 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 67 70 71 72 73 74 76 77 80
- 600) **Maniola (s.str.) jurtina (Linnaeus,1758)** (Satyridae) *jurtina Linnaeus,1758*; *janira Linnaeus,1758*; *lemur Schrank,1801*. 01 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 74 75 76 77 80 81
- 601) **Melanargia (Parce) russiae (Esper,[1784])** (Satyridae) *russiae Esper,[1784]*; *suwarovius Herbst,1796*; *clotho Hübner,[1800]*. 04 13 25 30 36 65 69 75 76
- 602) **Melanargia (Turcargia) larissa (Geyer,[1828])** (Satyridae) *larissa Geyer,[1828]*. 03 04 05 06 08 13 14 18 19 22 24 25 28 29 36 37 38 40 42 43 44 51 58 60 64 66 68 69 71 74 75 76
- 603) **Melanargia (s.str.) galathea (Linnaeus,1758)** (Satyridae) *galathea Linnaeus,1758*; *leucomelas Esper,1783*; *leucomelanos Fourcroy,1785*; *galene Ochsenheimer,1807*; *bitorensis Guillemot,1858*; *pygmaea Fruhstorfer,1916*; *malmmediensis Derenne,1926*; *xanthonica Varin,1948*. 05 06 08 10 11 14 16 17 18 19 24 25 26 28 34 36 37 39 43 54 55 58 59 60 61 64 66 67 75 76 81
- 604) **Proterebia afra (Fabricius,1787)** (Satyridae) *afra Fabricius,1787*. 02 06 13 23 24 25 32 33 36 38 51 58 66 68 70 71
- 605) **Pseudochazara (Achazara) anthelea (Hübner,[1824])** (Satyridae) *anthelea Hübner,[1824]*; *atavirensis Coutsis,1973*. 01 02 03 05 06 07 08 10 11 12 13 14 15 16 18 19 20 21 23 24 25 26 29 31 32 33 35 36 37 38 40 42 43 44 45 46 48 49 50 51 55 56 58 60 62 63 64 65 66 68 69 70 71 72
- 606) **Pseudochazara (Achazara) telephassa (Geyer,[1827])** (Satyridae) *telephassa Geyer,[1827]*. 01 02 12 21 23 27 30 31 36 44 46 47 50 56 62 63 73 76
- 607) **Pseudochazara (s.str.) beroe (Freyer,[1843])** (Satyridae) *beroe Freyer,[1843]*. 01 03 04 06 07 08 13 16 24 25 29 30 32 33 34 36 38 42 44 46 51 53 58 60 65 69 70 76
- 608) **Pseudochazara (s.str.) geyeri (Herrich-Schäffer,[1846])** (Satyridae) *geyeri Herrich-Schäffer,[1846]*; *aristonius Fruhstorfer,[1911]*; *selim Gross,1978*; *karsicola Gross,1978*. 04 05 06 07 08 13 24 25 29 30 36 38 42 50 51 58 60 62 65 66 69 73 75 76
- 609) **Pseudochazara (s.str.) mamurra (Herrich-Schäffer,[1846])** (Satyridae) *mamurra Herrich-Schäffer,[1846]*; *sintenis Staudinger,1895*. 01 02 03 04 05 07 08 13 15 24 25 28 29 30 32 33 36 38 42 44 46 51 58 60 62 65 66 69 73 76
- 610) **Pseudochazara (s.str.) mnischei (Herrich-Schäffer,[1851])** (Satyridae) *mnischei Herrich-Schäffer,[1851]*. 01 03 05 06 07 10 11 14 15 16 19 20 23 24 25 26 28 29 32 33 36 37 38 40 42 43 44 46 48 50 51 58 60 62 66 68 69 70 71 74
- 611) **Pseudochazara (s.str.) pelopea (Klug,1832)** (Satyridae) *pelopea Klug,1832*. 01 02 04 12 13 21 23 25 27 29 30 36 38 44 46 47 49 53 56 58 62 63 65 73 76
- 612) **Satyrus (Asatyrus (s.str.)) amasinus Staudinger,1861** (Satyridae) *bryce Herrich-Schäffer,[1852]* *nec Hübner,[1800]*; *amasinus Staudinger,1861*. 02 03 05 06 08 14 23 24 25 29 35 36 38 42 44 46 50 58 60 62 69 71 76
- 613) **Satyrus (s.str.(s.str.)) favonius Staudinger,[1892]** (Satyridae) *favonius Staudinger,[1892]*. 01 04 07 08 12 13 24 25 27 31 33 36 42 44 46 49 51 53 58 62 63 65 76
- 614) **Bembecia (Pseudosphecia) stiziformis (Herrich-Schäffer,1851)** (Sesiidae) *stiziformis Herrich-Schäffer,1851*; *tubercula De Freina,1983*; *barbarossa De Freina,1983*. 01 04 05 12 13 30 36 47 49 50 65
- 615) **Bembecia ichneumoniformis ([Denis & Schiffermüller],1775)** (Sesiidae) *ichneumoniformis [Denis & Schiffermüller],1775*; *rhagioniformis Hübner,[1806]*; *ophioniformis Hübner,[1813]*; *systrophaeiformis Hübner,[1813]*; *palpina Dalman,1816*; *statuiformis Freyer,1836*; *cryptiformis Walker,1856*; *albanica Rebel,1910*. 07 16 33 36
- 616) **Bembecia scopigera (Scopoli,1763)** (Sesiidae) *scopigera Scopoli,1763*; *communis Le Cerf,1920*. 06 16 25 36 59
- 617) **Chamaesphecia dumonti Le Cerf,1922** (Sesiidae) *dumonti Le Cerf,1922*; *similis Lastuvka,1983*. 36
- 618) **Chamaesphecia elampiformis (Herrich-Schäffer,1851)** (Sesiidae) *elampiformis Herrich-Schäffer,1851*. 01 05 16 36
- 619) **Chamaesphecia gorbunovi K.Spatenka,1992** (Sesiidae) *gorbunovi K.Spatenka,1992*. 25 36 42
- 620) **Chamaesphecia ruficoronata Kallies, Petersen & Riefenstahl,1998** (Sesiidae) *ruficoronata Kallies, Petersen & Riefenstahl,1998*. 04 24 30 36
- 621) **Chamaesphecia schwingenschussi (Le Cerf,1937)** (Sesiidae) *schwingenschussi Le Cerf,1937*. 04 36
- 622) **Pyropteron triannuliformis (Freyer,1845)** (Sesiidae) *meriaeformis Assmann,1845* *nec Bsd.,1840*; *triannuliformis Freyer,1845*; *braconiformis Herrich-Schäffer,1846*; *philanthiformis Lederer,1853* *nec Lasp.,1801*; *armeniaca Bartel,1906*; *balcanica Zukowsky,1929*; *ljiljanae Tosevski,1986*; *pungeleri K.Spatenka,1987*. 01 04 05 06 07 08 13 16 22 25 30 31 34 35 36 39 42 44 46 50 58
- 623) **Synanthedon andrenaeformis (Laspeyres,1801)** (Sesiidae) *andrenaeformis Laspeyres,1801*; *atlantiforme Newman,1832*; *andraeniformis Westwood,1843*; *andreniformis Staudinger,1856*. 04 24 36
- 624) **Synanthedon formicaeformis (Esper,[1783])** (Sesiidae) *formicaeformis Esper,[1783]*; *formiciformis Staudinger,1856*. 36
- 625) **Synanthedon stomoxiformis (Hübner,1790)** (Sesiidae) *stomoxiformis Hübner,1790*; *culiciformis Scopoli,1763* *nec Linn.,1758*; *stomoxiformis Hübner,1796*; *amasina Staudinger,1878*. 05 08 31 36 42 46
- 626) **Tinthia myrmosaeformis (Herrich-Schäffer,1846)** (Sesiidae) *myrmosaeformis Herrich-Schäffer,1846*; *lucida Lederer,1853*; *myrmosiformis Staudinger,1856*. 01 05 06 16 33 36 39 42 46 50
- 627) **Acherontia atropos (Linnaeus,1758)** (Sphingidae) *atropos Linnaeus,1758*; *solani Oken,1815*; *sculda Kirby,1877*. 06 17 35 36 46
- 628) **Hemaris (Eitschbergera) tityus (Linnaeus,1758)** (Sphingidae) *tityus Linnaeus,1758*; *bombyliiformis Linnaeus,1758*; *knautiae Zeller,1869*; *scabiosae Zeller,1869*; *alaiana Rothschild & Jordan,1903*; *karaugomica Wojtusiak & Niesiolowski,1946*; *saldaitisi Eitschberger, Danner & Surholt,1998*. 05 16 20 36 60 76
- 629) **Hemaris (s.str.) syra (Daniel,1939)** (Sphingidae) *syra Daniel,1939*; *syriaca Müller, Kravchenko, Li, Eitschberger, Hausmann, Miller, Orlova, Ortal, Speidel, Witt,2005*. 05 12 16 30 36 46 60
- 630) **Hyles conspicua (Rothschild & Jordan,1903)** (Sphingidae) *conspicua Rothschild & Jordan,1903*. 01 05 06 07 09 10 13 14 15 16 17 20 24 25 30 32 33 35 36 42 45 46 47 50 51 58 60 63 65 73 76

- 631) **Hyles hippophaes (Esper,[1789])** (Sphingidae) *hippophaes* Esper,[1789]; *teriolensis* Dannehl,1929; *kiortsii* Koutsafitis,1974. 06 19 23 25 30 36 44 46 50 62 65 71
- 632) **Hyles livornica (Esper,[1780])** (Sphingidae) *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998. 01 05 06 07 09 16 17 19 23 30 33 34 35 36 45 46 47 53 58 60 61 63 73
- 633) **Hyles nicaea (Prunner,1798)** (Sphingidae) *nicaea* Prunner,1798; *cyparissiae* Hübner,[1813]. 06 19 25 30 36 50 58 60 65 76
- 634) **Hyles zygophylli (Ochsenheimer,1808)** (Sphingidae) *zygophylli* Ochsenheimer,1808; *jaxartis* Froreich,1938; *xanthoxyli* Derzhavets,1977; *kirgisa* Eitschberger & Lukhtanov,1996. 36
- 635) **Laothoe populeti (Bienert,[1870])** (Sphingidae) *populeti* Bienert,[1870]; *populetorum* Staudinger,1887; *syriaca* Gehlen,1932; *intermedia* Gehlen,1934. 05 06 12 25 30 32 36 42 44 46 53 60 65 71
- 636) **Macroglossum stellatarum (Linnaeus,1758)** (Sphingidae) *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892. 01 05 06 09 10 11 14 16 17 21 25 33 35 36 38 45 46 55 58 60 65 71
- 637) **Rethera komarovi (Christoph,1885)** (Sphingidae) *komarovi* Christoph,1885; *#kamarowi* Wagner,1931; *rjabovi* O.Bang-Haas,1934; *#albocingulata* O.Bang-Haas,1934; *#roseocingulata* O.Bang-Haas,1937. 05 06 23 30 36 42 46 60 65 71
- 638) **Smerinthus ocellatus (Linnaeus,1758)** (Sphingidae) *ocellatus* Linnaeus,1758. 05 16 32 36 42 58 60
- 639) **Sphinx ligustri Linnaeus,1758** (Sphingidae) *ligustri* Linnaeus,1758; *spiraee* Esper,1800; *amurensis* Oberthür,1886; *nisseni* Rothschild & Jordan,1903; *fraxini* Dannehl,1925; *chischimensis* Matsumura,1929; *weryi* Rungs,1977; *zolutuhini* Eitschberger & Lukhtanov,1996; *eichleri* Eitschberger, Danner & Surholt,1998. 06 16 25 36 42 60
- 640) **Sphinx pinastri Linnaeus,1758** (Sphingidae) *pinastri* Linnaeus,1758; *asiaticus* Butler,1875; *saniptri* Strecker,1876; *cenisius* Jordan,1931; *medialis* Jordan,1931; *euxinus* Derzhavets,1979; *selon* De Freina & Witt,1987. 05 06 15 17 19 32 36 42 46 60
- 641) **Tethea ocularis (Linnaeus,1767)** (Thyatiridae) *ocularis* Linnaeus,1767; *octogena* Esper,1788. 03 06 12 13 14 15 17 19 32 36 37 42 43 46 50 60 62 65 71
- 642) **Tethea or ([Denis & Schiffermüller],1775)** (Thyatiridae) *#or* [Denis & Schiffermüller],1775; *gammagraecum* Retzius,1783; *consobrina* Borkhausen,1790; *gemina* Beckwith,1794 *nec* Vill.,1789; *terrosa* Graeser,1888; *graelica* Kane,1894; *fasciata* Spuler,1908; *obscura* Spuler,1908; *marginata* Warnecke,1911. 14 24 25 36 46 55 60 61
- 643) **Cydia pomonella (Linnaeus,1758)** (Tortricidae) *pomonella* Linnaeus,1758; *pomona* Fabricius,1775; *pomonana* [Denis & Schiffermüller],1775; *nitens* Fourcroy,1785; *aeneana* Villers,1789; *putaminana* Staudinger,1859. 01 05 08 16 24 25 27 32 34 36 42 45 46 51 65 71
- 644) **Adscita (s.str.) obscura (Zeller,1847)** (Zygaenidae) *obscura* Zeller,1847; *anceps* Staudinger,1862. 05 06 12 16 31 33 35 36 38 42 46 50 51 63 65 71 80
- 645) **Adscita (s.str.) storaiae Tarmann,1977** (Zygaenidae) *storaiae* Tarmann,1977. 08 13 36 65
- 646) **Jordanita (Roccia) budensis (Speyer & Speyer,1858)** (Zygaenidae) *budensis* Speyer & Speyer,1858. 05 06 29 33 36 42 51 58 62 69 70
- 647) **Jordanita (Roccia) volgensis (Möschler,1862)** (Zygaenidae) *volgensis* Möschler,1862. 01 06 13 36 44 51 63 65 70
- 648) **Jordanita (Tremewan) notata (Zeller,1847)** (Zygaenidae) *notata* Zeller,1847. 05 06 13 30 36 44 47 65 80
- 649) **Zygaena (Agrumenia) carniolica (Scopoli,1763)** (Zygaenidae) *carniolica* Scopoli,1763. 01 04 05 06 08 13 14 16 22 23 24 25 29 30 31 33 34 35 36 37 38 41 42 43 46 58 60 65 71 76 77
- 650) **Zygaena (Agrumenia) olivieri Boisduval,1828** (Zygaenidae) *olivieri* Boisduval,1828. 04 05 06 11 13 19 23 25 29 30 36 38 44 49 58 60 62 65 66 73 76
- 651) **Zygaena (Agrumenia) sedi Fabricius,1787** (Zygaenidae) *sedi* Fabricius,1787. 06 12 13 36 45 58 60
- 652) **Zygaena (Mesembrynus) brizae (Esper,1800)** (Zygaenidae) *brizae* Esper,1800. 05 08 25 29 36 49 53 58 60 61 65 66
- 653) **Zygaena (Mesembrynus) cuvieri Boisduval,1828** (Zygaenidae) *cuvieri* Boisduval,1828. 04 13 29 30 36 44 49 65 66 69 73 76
- 654) **Zygaena (Mesembrynus) lydia Staudinger,1887** (Zygaenidae) *lydia* Staudinger,1887. 01 13 30 36 44 65
- 655) **Zygaena (Mesembrynus) minos ([Denis & Schiffermüller],1775)** (Zygaenidae) *minos* [Denis & Schiffermüller],1775. 01 06 07 10 13 23 24 31 32 33 36 42 44 48 53 58 60 61 65 66 75
- 656) **Zygaena (Mesembrynus) purpuralis (Brünnich,1763)** (Zygaenidae) *purpuralis* Brünnich,1763; *pythia* Fabricius,1777; *scabiosae* Scheven,1777; *pilosellae* Esper,1780; *pluto* Ochsenheimer,1808; *pasiphae* Meigen,[1829]; *tatvanica* Reiss & Reiss,1973. 04 05 06 08 13 14 16 23 25 29 30 31 34 36 38 42 44 58 61 62 65 69 71 75 76
- 657) **Zygaena (s.str.) dorycnii Ochsenheimer,1808** (Zygaenidae) *dorycnii* Ochsenheimer,1808. 04 06 08 11 13 14 24 25 28 29 33 36 38 42 43 49 53 57 61 62 69 75 76
- 658) **Zygaena (s.str.) filipendulae (Linnaeus,1758)** (Zygaenidae) *filipendulae* Linnaeus,1758; *aries* Retzius,1783. 01 05 06 08 11 13 14 16 18 22 24 25 28 29 30 31 34 36 37 42 43 44 49 50 53 58 60 61 62 65 66 69 70 75 76
- 659) **Zygaena (s.str.) lonicerae (Scheven,1777)** (Zygaenidae) *lonicerae* Scheven,1777; *graminis* Villers,1789; *rechei* Dujardin,1965; *microdoxa* Dujardin,1965. 05 06 08 13 14 16 24 25 29 36 42 55 58 62 76
- 660) **Zygaena (s.str.) loti ([Denis & Schiffermüller],1775)** (Zygaenidae) *loti* [Denis & Schiffermüller],1775; *fulvia* Fabricius,1777. 04 05 06 08 13 14 18 22 23 25 26 28 29 30 31 36 37 38 42 44 49 53 58 60 62 65 69 71 75 76
- 661) **Zygaena (s.str.) osterodensis Reiss,1921** (Zygaenidae) *osterodensis* Reiss,1921. 13 36 49 53

Priamus⁴**ISSN 1015-8243**

Priamus is the first international serial publication of the Centre for Entomological Studies Ankara, and appears in volumes at irregular intervals. Each volume is composed of four or six parts.

The serial serves as a refereed publication outlet and accepts original manuscripts of the researchers of the Cesa. Articles accepted deal with the Insect taxonomy, nomenclature, morphology, bibliography, check-list, fauna, biodiversity, distribution, biogeography, ecology, insect-plant interactions, bionomy, and behaviour. The Cesa is a non-profit organization, no royalties will be paid to the authors of contributions. Papers accepted become the copyright of the journal. The publication languages are Turkish, English, German, Uighur language, and Chinese.

**Centre for Entomological Studies Ankara**

(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Supplement (ISSN 1015-8243)⁵, Miscellaneous Papers (ISSN 1015-8235)⁶, Memoirs (ISSN-8227)⁷ DVD Films⁸, Iconographia Insectorum⁹

Owner / Sahibi - Editor / Yayıncı: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistents: Yrd. Doç. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Yrd. Doç. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Yrd. Doç. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Yrd. Doç. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Yrd. Doç. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Mecit Vural (Gazi University, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to:

Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey.

e-mail: cesa_tr@yahoo.com.tr

Yüzüncü Yıl Üniversitesi Matbaasında bastırılmıştır.

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904) 612793 - DCS@york.biosis.org

⁴ <http://www.cesa-tr.org/Priamus.htm>

⁵ <http://www.members.tripod.com/entcesa/Pri.htm>

⁶ <http://www.cesa-tr.org/Miscell.htm>

⁷ <http://www.cesa-tr.org/Memoirs.htm>

⁸ <http://www.cesa-tr.org/CDF.htm>

⁹ <http://www.cesa-tr.org/Icon.htm>